

Entitlement Eligibility Guideline

Traumatic Brain Injury

Date created: 31 March 2025

ICD-11 code: NA07

VAC medical code: 85000Traumatic brain injury, concussion, post-concussion syndrome/closed head injury

Definition

For the purposes of this entitlement eligibility guideline (EEG), the following two conditions are included:

- mild traumatic brain injury
 - post-concussion syndrome
 - concussion
 - mild head injury
- moderate to severe traumatic brain injury
 - moderate traumatic brain injury
 - severe traumatic brain injury
 - moderate or severe head injury

Note: Entitlement should be granted for a chronic condition only. For Veterans Affairs Canada (VAC) entitlement purposes, traumatic brain injury (TBI), or an equivalent diagnosis, is considered chronic when the condition has been present **six months** or longer.

Anatomy and physiology

A traumatic brain injury (TBI) is damage to the brain caused by an outside force, which can lead to problems with thinking, movement, or emotions. TBIs can be mild, moderate, or severe, depending on how serious the injury is. They can also be either open (where something pierces the skull) or closed (where there is no break in the skull). TBIs are a type of brain injury that a person can acquire, not something they're born with.

The process of a TBI happens in stages. The first stage, called the primary injury, happens at the moment of impact. This could be from something like a skull fracture or an object that penetrates the skull, or from the brain moving forcefully

inside the skull. During this stage, blood vessels may break, and neurons (brain cells) can be torn or damaged. The second stage, known as secondary injury, occurs after the initial impact. This can last from minutes to days, and includes processes that can harm the brain even more, such as swelling and increased pressure inside the skull.

In the military, TBIs have become more common, especially due to accidents during training, car crashes, and sports. A smaller number of TBIs happen during combat, often caused by blasts or objects that penetrate the skull. About 80% of TBIs in the military are mild.

Gender plays an important role in how TBIs affect people. In general, men are more likely to experience a TBI, especially due to high-risk behaviors, and often have milder cases. However, women are at greater risk of having worse outcomes after a TBI. They are more likely to report symptoms like fatigue, nausea, and sleep problems, and tend to experience longer recovery times, possibly due to hormonal differences. Women may also be more vulnerable to TBIs because of physical differences, like weaker neck muscles, which can increase the risk of concussion. Additionally, factors like intimate partner violence, military sexual trauma, and less access to care can worsen outcomes for women.

Mild traumatic brain injury

Diagnostic standard

Diagnosis

A diagnosis from a qualified physician or nurse practitioner is required. Wherever possible, the diagnosis of a chronic disability related to mild TBI includes a detailed neurologic exam, brain imaging, neurocognitive assessment, and further evaluations to clarify the extent of the TBI and associated deficits.

Diagnostic considerations

Mild TBIs can be hard to diagnose because there are no clear signs on brain scans (neuroimaging), the injury may not show up right away, and symptoms can take time to appear. Healthcare providers usually rely on the person who was injured or a witness to report symptoms right after the injury happens. Brain scans are not needed to diagnose mild TBI. The main use of brain scans is to check for serious injuries, like bleeding or bruising in the brain, which may need surgery or other treatments right away.

In some cases, especially in combat, people may not be assessed right after the injury. In these situations, healthcare providers may have to rely on what the injured person or witnesses say to diagnose a mild TBI. The severity of the injury at first does

not always predict how the person will recover. Some people with mild TBIs might have long-term problems even if their injury seemed mild at first.

Diagnostic criteria

Mild TBI may be differentiated from moderate and severe TBI using various diagnostic definitions, therefore for VAC entitlement purposes the diagnosis of mild TBI will be accepted from the treating qualified physician or nurse practitioner.

The most commonly used diagnostic criteria distinctions between mild, moderate and severe brain injury severity are depicted in Table 1 below.

Table 1¹ details the criteria for assessing the severity of traumatic brain injuries, categorized as mild, moderate, or severe, and also lists the diagnostic criteria. These criteria include the Glasgow Coma Scale, structural imaging, loss of consciousness, changes in consciousness or mental state, and post-traumatic amnesia.

Diagnostic criteria	Mild	Moderate	Severe
Glasgow coma scale	13 to 15	9 to 12	3 to 8
Structural imaging	Normal*	Normal or abnormal	Normal or abnormal
Loss of consciousness	0 to 30 minutes	Greater than 30 minutes, less than 24 hours	Greater than 24 hours
Alteration of consciousness/mental state	Up to 24 hours	Greater than 24 hours	Greater than 24 hours
Post-traumatic amnesia	0 to 1 day	Greater than 1 day, less than 7 days	Greater than 7 days

2

Table 1 notes:

- *Most people with mild TBI will have normal brain scans, meaning there won't be any visible damage. Brain scans are not needed to diagnose mild TBI, but if a CT scan or MRI shows injury to the brain, it can confirm the diagnosis. In the past, mild TBI with visible brain damage on a scan was called "complicated" mild TBI.
- If the patient meets criteria in more than one category, the higher severity level is selected.

¹ Orman, J et al, 2012

The American Congress of Rehabilitation Medicine also provides diagnostic criteria for mild TBI that is acceptable.

Clinical features

The clinical features of mild TBI can vary widely depending on the severity of the injury and the area of the brain affected. Mild TBIs can cause a wide range of physical, cognitive, emotional, and behavioral symptoms. Some of the more common clinical features associated with mild TBI are outlined below.

Physical symptoms may include, but are not limited to:

- loss of consciousness: briefly or deeply unconscious after the injury
- headache: persistent or severe headaches after a TBI
- nausea and vomiting
- dizziness and balance problems: may have difficulties with balance and coordination
- sensory problems: changes in vision, hearing, taste, or smell
- fatigue and sleep disturbances: feeling tired and having difficulty sleeping
- weakness: loss of strength in certain body parts
- coordination difficulties: trouble with fine or gross motor skills
- tremors or seizures: uncontrolled shaking or convulsions may occur in severe cases.

Cognitive symptoms may include, but are not limited to:

- memory problems: difficulty recalling events or forming new memories
- attention and concentration issues: struggling to focus or stay attentive on tasks
- confusion and disorientation: feeling dazed or having trouble understanding surroundings
- slowed thinking: difficulty processing information and responding slowly.

Emotional and behavioural symptoms may include, but are not limited to:

- mood swings: fluctuations in emotions, including irritability and frustration
- anxiety and depression: feelings of worry, fear, or sadness
- agitation and restlessness
- impulsivity: acting without thinking, taking risks without considering consequences
- social and interpersonal problems: difficulty with relationships and social interactions.

Note: Not all individuals with mild TBI will experience all of these symptoms and the severity and duration of symptoms can vary. Some symptoms may not appear immediately after the injury but may develop or worsen in the hours and days following the trauma. For VAC purposes, symptoms should be present within six months of the initial injury.

Recovery from TBIs can be very different for each person, depending on how severe the injury is. Most people with mild TBI recover within 7 to 10 days, but about 10–20% still have symptoms like headaches, vision problems, nausea, irritability, and trouble concentrating. While 80–85% of people fully recover their thinking skills within 12 months, around 15% continue to have symptoms after a year, and 13.5% have lasting problems with memory or thinking. Recovery is usually most noticeable in the first two years, but for moderate to severe TBIs, more than 50% of people face long-term challenges with thinking or daily activities.

There are two main types of mild TBI injuries: non-blast (or blunt) and blast injuries. Blunt injuries are the most common and can happen from accidents, falls, or impacts. Blast injuries are more common in the military and involve shock waves from explosions, like bombs or improvised explosive devices (IEDs).

Women tend to report more symptoms after a mild TBI than men. They may also be more likely to have ongoing problems with thinking or physical symptoms. Research shows that women who are of childbearing age (between puberty and menopause) are more at risk for poor recovery, while women after menopause tend to do better than men of the same age. Women with mild TBI also often report more mental health issues and post-concussion symptoms. Soldiers working in infantry and combat roles, such as breachers and snipers, are at a higher risk of getting a TBI compared to those in administrative jobs, and TBIs from combat are linked to a higher risk of lasting symptoms.

Entitlement considerations

Section A: Causes and/or aggravation

For VAC entitlement purposes, the following [factors](#) are accepted to cause or aggravate mild TBI, and may be considered along with the evidence to assist in establishing a relationship to service. The factors have been determined based on a review of up-to-date scientific and medical literature, as well as evidence-based medical best practices. Factors other than those listed may be considered, however consultation with a disability consultant or medical advisor is recommended.

The timelines cited below are for guidance purposes. Each case should be adjudicated on the evidence provided and its own merits.

Factors

1. Experiencing a **specified event** at the time of clinical onset or aggravation of mild TBI symptoms.

Specified events include, but are not limited to:

- the head being struck by an object
 - the head striking an object
 - the brain undergoing an acceleration or deceleration movement without direct external trauma to the head, such as a whiplash injury
 - an explosion or blast.
2. Experiencing **repeated concussive or sub-concussive forces** at the time of clinical onset or aggravation of mild TBI symptoms. Examples include breachers forcing entry into a closed area or snipers repeatedly firing powerful weapons.
 3. Experiencing a **consecutive mild TBI**, defined as receiving a subsequent mild TBI before fully recovering from a previous head injury at the time of clinical onset or aggravation of mild TBI symptoms.
 4. Inability to obtain **appropriate clinical management** of mild TBI.

Section B: Medical conditions which are to be included in entitlement/assessment

Section B provides a list of diagnosed medical conditions which are considered for VAC purposes to be included in the entitlement and assessment of mild TBI.

- Post traumatic headaches
- Post traumatic migraines
- Non-specific dizziness

Note: Physical or psychological symptoms of mild TBI such as but not limited to changes in mood, anxiety, sleep disturbance, fatigue, cognition, and headaches, are included in the entitlement and assessment of TBI. Where symptoms develop into a separate diagnosed disorder, consequential entitlement may be considered.

Section C: Common medical conditions which may result in whole or in part from mild traumatic brain injury and/or its treatment

Section C is a list of conditions which can be caused or aggravated by mild TBI and/or its treatment. Conditions listed in Section C are not included in the entitlement and assessment of mild TBI. A consequential entitlement decision may be considered where the individual merits and the medical evidence of the case support a consequential relationship.

Conditions other than those listed in Section C may be considered; consultation with a disability consultant or medical advisor is recommended.

- Sleep disorders, including but not limited to:
 - insomnia disorder
 - hypersomnolence disorder
 - [sleep-related breathing disorders](#)
 - obstructive sleep apnea
 - central sleep apnea
 - mixed sleep apnea
- Clinically significant psychiatric disorders (with evidence of symptom onset within five years of injury).

Note: For VAC purposes, clinically significant means requiring ongoing treatment and clinical management.

Moderate to severe traumatic brain injury

Diagnostic standard

Diagnosis

A diagnosis from a qualified physician is required. Wherever possible, the diagnosis of a chronic disability related to moderate to severe TBI may include a detailed neurologic exam, brain imaging, cognitive assessment, and further evaluations to clarify the extent of the TBI and associated deficits.

Diagnostic considerations

Documentation should be as comprehensive as possible. For VAC purposes confirmatory diagnostic imaging results are required for entitlement of moderate to severe TBI.

Diagnostic criteria

Moderate to severe traumatic brain injury (TBI) happens when the brain is damaged by external forces. This can be shown by at least one of the following:

- loss of consciousness for more than 30 minutes
- memory loss for more than 24 hours
- brain damage seen on a brain scan (like an MRI or CT scan)
- damage to the protective layer around the brain (dura mater)
- a Glasgow Coma Scale score of less than 13.

To diagnose moderate to severe TBI, there must be a clear cause of injury that led to the brain's function being disrupted. Common causes of moderate to severe TBI include:

- the brain being hit by an object or force
- the head striking a hard surface
- the brain moving suddenly inside the skull without direct impact (like during a whiplash injury)
- forces from a blast or explosion.

The severity of the injury is often measured by the Glasgow Coma Scale (GCS), which is completed after the injury, once the person has been treated and is no longer sedated. A GCS score of 8 or lower means a severe TBI, while a score of 9 to 12 typically means a moderate TBI.

Clinical features

Moderate to severe TBIs can cause a wide range of symptoms, depending on how bad the injury is and which parts of the brain are affected. Some common symptoms include:

- **Memory and thinking problems:** People with moderate to severe TBIs often have trouble remembering things, paying attention, concentrating, and solving problems. They may also find it harder to learn new information and process things more slowly.
- **Mood and behavior changes:** After a moderate to severe TBI, people might experience mood swings, irritability, or other changes in their emotions and behavior. These changes can affect their relationships and overall quality of life.
- **Physical problems:** People with moderate to severe brain injuries may have long-term problems with coordination, muscle weakness, or balance. They might also have trouble with fine motor skills, like writing or buttoning a shirt. Some may experience permanent changes in their senses, like vision, hearing, taste, or smell. There could also be long-lasting speech or language issues, making it hard to find words, express ideas, or understand what others say or write. Many people with moderate to severe TBIs also deal with ongoing tiredness, low energy, sleep problems, and chronic pain. Seizures can also be a problem for some people long after the injury.

In the military, the most common causes of moderate to severe TBIs include but are not limited to blast injuries, falls, vehicle collisions, injuries from fragments, and other types of trauma.

Postmenopausal women tend to have better recovery outcomes after moderate to severe TBI than men, but women who are pre-menopausal or perimenopausal

(before or around menopause) do not. Women also report more severe symptoms after a TBI compared to men.

Service members who work in the army or in combat roles are at a higher risk of getting a TBI because their jobs often involve exposure to more dangerous situations, like blasts, explosions, and physical impacts. In contrast, those in administrative roles are less likely to face these types of hazards, so they generally have a lower risk of experiencing a TBI.

Moderate to severe TBIs are less common than mild TBIs but usually lead to more serious long-term problems. About 20% of people with moderate to severe TBI return to their normal level of functioning, but it can take two years or more for symptoms to improve.

Entitlement considerations

Section A: Causes and/or aggravation

For VAC entitlement purposes, the following [factors](#) are accepted to cause or aggravate moderate to severe TBI, and may be considered along with the evidence to assist in establishing a relationship to service. The factors have been determined based on a review of up-to-date scientific and medical literature, as well as evidence-based medical best practices. Factors other than those listed may be considered, however consultation with a disability consultant or medical advisor is recommended.

The timelines cited below are for guidance purposes. Each case should be adjudicated on the evidence provided and its own merits.

Factors

1. Experiencing a **specified event** at the time of the clinical onset of moderate to severe TBI.

Specified events include, but are not limited to:

- the head being struck by an object
 - the head striking an object
 - the brain undergoing an acceleration or deceleration movement without direct external trauma to the head, such as a whiplash injury
 - a foreign body penetrating the brain
 - an explosion or blast.
2. Inability to obtain **appropriate clinical management** for moderate to severe TBI.

Section B: Medical conditions which are to be included in entitlement/assessment

Section B provides a list of diagnosed medical conditions which are considered for VAC purposes to be included in the entitlement and assessment of moderate to severe TBI.

- Penetrating head injury
- Open head injury
- Headache, including but not limited to:
 - Post-traumatic headache
 - Post-traumatic migraine

Note: Physical or psychological symptoms of moderate to severe TBI such as but not limited to changes in mood, anxiety, sleep disturbance, fatigue, cognition, and headaches, are included in the entitlement and assessment of TBI. Where symptoms develop into a separate diagnosed disorder, consequential entitlement may be considered.

Section C: Common medical conditions which may result in whole or in part from moderate to severe traumatic brain injury and/or its treatment

Section C is a list of conditions which can be caused or aggravated by moderate to severe TBI and/or its treatment. Conditions listed in Section C are not included in the entitlement and assessment of moderate to severe TBI. A consequential entitlement decision may be considered where the individual merits and the medical evidence of the case support a consequential relationship.

Conditions other than those listed in Section C may be considered; consultation with a disability consultant or medical advisor is recommended.

- Sleep disorders, including but not limited to:
 - insomnia disorder
 - hypersomnolence disorder
 - [sleep-related breathing disorders](#):
 - obstructive sleep apnea
 - central sleep apnea
 - mixed sleep apnea

- Neurocognitive disorders, including but not limited to:
 - major neurocognitive disorder/dementia (with evidence of symptom onset within 15 years of injury)
 - chronic traumatic encephalopathy (CTE)
- Seizure disorder/post-traumatic epilepsy
- [Benign paroxysmal positional vertigo \(BPPV\)](#)
- Sensorineural [hearing loss](#)
- [Tinnitus](#)
- Clinically significant psychiatric disorders (with evidence of symptom onset within five years of injury)

Note: For VAC purposes, clinically significant means requiring ongoing treatment and clinical management.

Links

Related VAC guidance and policy:

- [Adjustment Disorder – Entitlement Eligibility Guidelines](#)
- [Anxiety Disorders – Entitlement Eligibility Guidelines](#)
- [Bipolar and Related Disorders - Entitlement Eligibility Guidelines](#)
- [Depressive Disorders - Entitlement Eligibility Guidelines](#)
- [Feeding and Eating Disorders - Entitlement Eligibility Guidelines](#)
- [Hearing Loss - Entitlement Eligibility Guidelines](#)
- [Posttraumatic Stress Disorder - Entitlement Eligibility Guidelines](#)
- [Schizophrenia - Entitlement Eligibility Guidelines](#)
- [Sleep-Related Breathing Disorders- Entitlement Eligibility Guidelines](#)
- [Substance Use Disorders - Entitlement Eligibility Guidelines](#)
- [Tinnitus – Entitlement Eligibility Guidelines](#)
- [Vertiginous Disorders - Entitlement Eligibility Guidelines](#)
- [Pain and Suffering Compensation - Policies](#)
- [Royal Canadian Mounted Police Disability Pension Claims – Policies](#)
- [Dual Entitlement – Disability Benefits – Policies](#)
- [Establishing the Existence of a Disability – Policies](#)
- [Disability Benefits in Respect of Peacetime Military Service – The Compensation Principle – Policies](#)
- [Disability Benefits in Respect of Wartime and Special Duty Service – The Insurance Principle – Policies](#)
- [Disability Resulting from a Non-Service Related Injury or Disease – Policies](#)
- [Consequential Disability – Policies](#)
- [Benefit of Doubt – Policies](#)

References as of 31 March 2025

- Akhanemhe, R., Stevelink, S. A. M., Corbett, A., Ballard, C., Brooker, H., Creese, B., Aarsland, D., Hampshire, A., & Greenberg, N. (2024). Is lifetime traumatic brain injury a risk factor for mild cognitive impairment in veterans compared to non-veterans? *European Journal of Psychotraumatology*, 15(1), 2291965. <https://doi.org/10.1080/20008066.2023.2291965>
- Akin, F. W., Murnane, O. D., Hall, C. D., & Riska, K. M. (2017). Vestibular consequences of mild traumatic brain injury and blast exposure: A review. *Brain Injury*, 31(9), 1188–1194. <https://doi.org/10.1080/02699052.2017.1288928>
- Akin, F. W., Murnane, O. D., Hall, C. D., Riska, K. M., & Sears, J. (2022). Vestibular and balance function in veterans with chronic dizziness associated with mild traumatic brain injury and blast exposure. *Frontiers in Neurology*, 13, 930389. <https://doi.org/10.3389/fneur.2022.930389>
- al-Dahhak, R., Khoury, R., Qazi, E., & Grossberg, G. T. (2018). Traumatic Brain Injury, Chronic Traumatic Encephalopathy, and Alzheimer Disease. *Clinics in Geriatric Medicine*, 34(4), 617–635. <https://doi.org/10.1016/j.cger.2018.06.008>
- Aldag, M., Armstrong, R. C., Bandak, F., Bellgowan, P. S. F., Bentley, T., Biggerstaff, S., Caravelli, K., Cmarik, J., Crowder, A., DeGraba, T. J., Dittmer, T. A., Ellenbogen, R. G., Greene, C., Gupta, R. K., Hicks, R., Hoffman, S., Latta, R. C., Leggieri, M. J., Marion, D., ... Zheng, J. (2017). The Biological Basis of Chronic Traumatic Encephalopathy following Blast Injury: A Literature Review. *Journal of Neurotrauma*, 34(S1), S26–S43. <https://doi.org/10.1089/neu.2017.5218>

- Amin, A., Karimi, T., & Mahmoodkhani, M. (2023). *Traumatic Brain Injury and the Risk of Parkinson's Disease*. <https://doi.org/10.30491/hpr.2024.442484.1416>
- Andrew, A. S., Anderson, F. L., Lee, S. L., Von Herrmann, K. M., & Havrda, M. C. (2021). Lifestyle Factors and Parkinson's Disease Risk in a Rural New England Case-Control Study. *Parkinson's Disease*, 2021, 5541760. <https://doi.org/10.1155/2021/5541760>
- Andriessen, T. M. J. C., Jacobs, B., & Vos, P. E. (2010). Clinical characteristics and pathophysiological mechanisms of focal and diffuse traumatic brain injury. *Journal of Cellular and Molecular Medicine*, 14(10), Article 10. <https://doi.org/10.1111/j.1582-4934.2010.01164.x>
- Asken, B. M., Sullan, M. J., DeKosky, S. T., Jaffee, M. S., & Bauer, R. M. (2017). Research Gaps and Controversies in Chronic Traumatic Encephalopathy: A Review. *JAMA Neurology*, 74(10), 1255–1262. <https://doi.org/10.1001/jamaneurol.2017.2396>
- Australian Government Repatriation Medical Authority (Oct, 2018). *Statement of principles concerning concussion (Balance of probabilities) (No. 93 of 2018)*. [SOPs - Repatriation Medical Authority](#)
- Australian Government Repatriation Medical Authority (2018). *Statement of principles concerning concussion (Reasonable hypothesis) (No. 92 of 2018)*. [SOPs - Repatriation Medical Authority](#)
- Australian Government Repatriation Medical Authority (2018). *Statement of principles concerning moderate to severe traumatic brain injury (Balance of probabilities) (No. 95 of 2018)* [SOPs - Repatriation Medical Authority](#)

Australian Government Repatriation Medical Authority (2018). *Statement of principles concerning moderate to severe traumatic brain injury (Reasonable hypothesis)* (No. 94 of 2018) [SOPs - Repatriation Medical Authority](#)

Babakhanyan, I., Brickell, T. A., Bailie, J. M., Hungerford, L., Lippa, S. M., French, L. M., & Lange, R. T. (2024). Gender Disparities in Neurobehavioral Symptoms and the Role of Post-Traumatic Symptoms in US Service Members Following Mild Traumatic Brain Injury. *Journal of Neurotrauma*.
<https://doi.org/10.1089/neu.2022.0462>

Bai, L., Bai, G., Wang, S., Yang, X., Gan, S., Jia, X., Yin, B., & Yan, Z. (2020). Strategic white matter injury associated with long-term information processing speed deficits in mild traumatic brain injury. *Human Brain Mapping*, 41(15), 4431–4441.
<https://doi.org/10.1002/hbm.25135>

Bailie, J. M., Lippa, S. M., Hungerford, L., French, L. M., Brickell, T. A., & Lange, R. T. (2024). Cumulative Blast Exposure During a Military Career Negatively Impacts Recovery from Traumatic Brain Injury. *Journal of Neurotrauma*, 41(5–6), 604–612. <https://doi.org/10.1089/neu.2022.0192>

Baker, A. J., Topolovec-Vranic, J., Michalak, A., Pollmann-Mudryj, M.-A., Ouchterlony, D., Cheung, B., & Tien, H. C. (2011). Controlled blast exposure during forced explosive entry training and mild traumatic brain injury. *The Journal of Trauma*, 71(5 Suppl 1), S472–477. <https://doi.org/10.1097/TA.0b013e318232e7da>

Barnes, D. E., Byers, A. L., Gardner, R. C., Seal, K. H., Boscardin, W. J., & Yaffe, K. (2018). Association of Mild Traumatic Brain Injury With and Without Loss of Consciousness With Dementia in US Military Veterans. *JAMA Neurology*, 75(9), 1055–1061. <https://doi.org/10.1001/jamaneurol.2018.0815>

- Barshikar, S., & Bell, K. R. (2017). Sleep Disturbance After TBI. *Current Neurology and Neuroscience Reports*, 17(11), 87. <https://doi.org/10.1007/s11910-017-0792-4>
- Baskin, B. M., Logsdon, A. F., Janet Lee, S., Foresi, B. D., Peskind, E., Banks, W. A., Cook, D. G., & Schindler, A. G. (2023). Timing matters: Sex differences in inflammatory and behavioral outcomes following repetitive blast mild traumatic brain injury. *Brain, Behavior, and Immunity*, 110, 222–236. <https://doi.org/10.1016/j.bbi.2023.03.003>
- Batson, C., Froese, L., Gomez, A., Sainbhi, A. S., Stein, K. Y., Alizadeh, A., & Zeiler, F. A. (2021). Impact of Age and Biological Sex on Cerebrovascular Reactivity in Adult Moderate/Severe Traumatic Brain Injury: An Exploratory Analysis. *Neurotrauma Reports*, 2(1), 488–501. <https://doi.org/10.1089/neur.2021.0039>
- Batson, C., Froese, L., Sekhon, M., Griesdale, D., Gomez, A., Thelin, E. P., Raj, R., Aries, M., Gallagher, C., Bernard, F., Kramer, A. H., & Zeiler, F. A. (2023). Impact of Chronological Age and Biological Sex on Cerebrovascular Reactivity in Moderate/Severe Traumatic Brain Injury: A Canadian High-Resolution Traumatic Brain Injury (CAHR-TBI) Study. *Journal of Neurotrauma*, 40(11–12), 1098–1111. <https://doi.org/10.1089/neu.2022.0293>
- Bazarian, J. J., Blyth, B., Mookerjee, S., He, H., & McDermott, M. P. (2010). Sex differences in outcome after mild traumatic brain injury. *Journal of Neurotrauma*, 27(3), 527–539. <https://doi.org/10.1089/neu.2009.1068>
- Bedard, M., Steffener, J., & Taler, V. (2020). Long-term cognitive impairment following single mild traumatic brain injury with loss of consciousness: Findings from the Canadian Longitudinal Study on Aging. *Journal of Clinical and*

Experimental Neuropsychology, 42(4), 344–351.

<https://doi.org/10.1080/13803395.2020.1714552>

Belanger, H. G., Bowling, F., & Yao, E. F. (2020). Low-Level Blast Exposure in Humans A Systematic Review of Acute and Chronic Effects. *Journal of Special Operations Medicine: A Peer Reviewed Journal for SOF Medical Professionals*, 20(1), 87–93. <https://doi.org/10.55460/3AC6-AX9I>

Belding, J. N., Bonkowski, J., & Englert, R. (2024). Traumatic brain injury and occupational risk of low-level blast exposure on adverse career outcomes: An examination of administrative and medical separations from Service (2005–2015). *Frontiers in Neurology*, 15, 1389757.

<https://doi.org/10.3389/fneur.2024.1389757>

Belding, J. N., Englert, R., Bonkowski, J., & Thomsen, C. J. (2021). Occupational Risk of Low-Level Blast Exposure and TBI-Related Medical Diagnoses: A Population-Based Epidemiological Investigation (2005–2015). *International Journal of Environmental Research and Public Health*, 18(24), 12925.

<https://doi.org/10.3390/ijerph182412925>

Belding, J. N., Englert, R. M., Fitzmaurice, S., Jackson, J. R., Koenig, H. G., Hunter, M. A., Thomsen, C. J., & da Silva, U. O. (2021). Potential Health and Performance Effects of High-Level and Low-Level Blast: A Scoping Review of Two Decades of Research. *Frontiers in Neurology*, 12, 628782.

<https://doi.org/10.3389/fneur.2021.628782>

Belding, J. N., Fitzmaurice, S., Englert, R. M., Koenig, H. G., Thomsen, C. J., & Olaghere da Silva, U. (2020). Self-Reported Concussion Symptomology during Deployment: Differences as a Function of Injury Mechanism and Low-Level

- Blast Exposure. *Journal of Neurotrauma*, 37(20), 2219–2226.
<https://doi.org/10.1089/neu.2020.6997>
- Belding, J. N., Fitzmaurice, S., Englert, R. M., Lee, I., Kowitz, B., Highfill-McRoy, R. M., Thomsen, C. J., & da Silva, U. (2020). Blast Exposure and Risk of Recurrent Occupational Overpressure Exposure Predict Deployment TBIs. *Military Medicine*, 185(5–6), e538–e544. <https://doi.org/10.1093/milmed/usz289>
- Belding, J. N., Kolaja, C. A., Rull, R. P., & Trone, D. W. (2023). Single and repeated high-level blast, low-level blast, and new-onset self-reported health conditions in the U.S. Millennium Cohort Study: An exploratory investigation. *Frontiers in Neurology*, 14, 1110717. <https://doi.org/10.3389/fneur.2023.1110717>
- Bell, K., Greenwald, B., & Nakase-Richardson, R. (2022). Obstructive Sleep Apnea and Traumatic Brain Injury. *Model Systems Knowledge Translation Center (MSKTC)*. <https://msktc.org/sites/default/files/2022-11/OSA-and-TBI-508.pdf>
- Ben-Shlomo, Y., Darweesh, S., Llibre-Guerra, J., Marras, C., San Luciano, M., & Tanner, C. (2024). The epidemiology of Parkinson's disease. *Lancet (London, England)*, 403(10423), 283–292. [https://doi.org/10.1016/S0140-6736\(23\)01419-8](https://doi.org/10.1016/S0140-6736(23)01419-8)
- Betthausen, L. M., Brenner, L. A., Cole, W., Scher, A. I., Schwab, K., & Ivins, B. J. (2018). A Clinical Evidence-Based Approach to Examine the Effects of mTBI and PTSD Symptoms on ANAM Performance in Recently Deployed Active-Duty Soldiers: Results From the Warrior Strong Study. *Journal of Head Trauma Rehabilitation*, 33(2), 91–100. <https://doi.org/10.1097/HTR.0000000000000376>
- Biegon, A. (2021). Considering Biological Sex in Traumatic Brain Injury. *Frontiers in Neurology*, 12, 576366. <https://doi.org/10.3389/fneur.2021.576366>

Blaya, M. O., Raval, A. P., & Bramlett, H. M. (2022). Traumatic brain injury in women across lifespan. *Neurobiology of Disease*, 164, 105613.

<https://doi.org/10.1016/j.nbd.2022.105613>

Boutté, A. M., Thangavelu, B., LaValle, C. R., Nemes, J., Gilsdorf, J., Shear, D. A., & Kamimori, G. H. (2019). Brain-related proteins as serum biomarkers of acute, subconcussive blast overpressure exposure: A cohort study of military personnel. *PLOS ONE*, 14(8), e0221036.

<https://doi.org/10.1371/journal.pone.0221036>

Boutté, A. M., Thangavelu, B., Nemes, J., LaValle, C. R., Egnoto, M., Carr, W., & Kamimori, G. H. (2021). Neurotrauma Biomarker Levels and Adverse Symptoms Among Military and Law Enforcement Personnel Exposed to Occupational Overpressure Without Diagnosed Traumatic Brain Injury. *JAMA Network Open*, 4(4), e216445.

<https://doi.org/10.1001/jamanetworkopen.2021.6445>

Boyle, E., Cancelliere, C., Hartvigsen, J., Carroll, L. J., Holm, L. W., & Cassidy, J. D. (2014). Systematic Review of Prognosis After Mild Traumatic Brain Injury in the Military: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. *Archives of Physical Medicine and Rehabilitation*, 95(3), S230–S237. <https://doi.org/10.1016/j.apmr.2013.08.297>

Brahm, K. D., Wilgenburg, H. M., Kirby, J., Ingalla, S., Chang, C.-Y., & Goodrich, G. L. (2009). Visual Impairment and Dysfunction in Combat-Injured Servicemembers With Traumatic Brain Injury. *Optometry and Vision Science*, 86(7), 817–825. <https://doi.org/10.1097/OPX.0b013e3181adff2d>

- Breeding, T., Martinez, B., Katz, J., Nasef, H., Santos, R. G., Zito, T., & Elkbuli, A. (2024). The Association Between Gender and Clinical Outcomes in Patients With Moderate to Severe Traumatic Brain Injury: A Systematic Review and Meta-Analysis. *The Journal of Surgical Research*, 295, 791–799.
<https://doi.org/10.1016/j.jss.2023.11.035>
- Brenner, L. A., Forster, J. E., Gradus, J. L., Hostetter, T. A., Hoffmire, C. A., Walsh, C. G., Larson, M. J., Stearns-Yoder, K. A., & Adams, R. S. (2023). Associations of Military-Related Traumatic Brain Injury With New-Onset Mental Health Conditions and Suicide Risk. *JAMA Network Open*, 6(7), e2326296.
<https://doi.org/10.1001/jamanetworkopen.2023.26296>
- Brett, B. L., Gardner, R. C., Godbout, J., Dams-O'Connor, K., & Keene, C. D. (2022). Traumatic Brain Injury and Risk of Neurodegenerative Disorder. *Biological Psychiatry*, 91(5), 498–507. <https://doi.org/10.1016/j.biopsych.2021.05.025>
- Brickell, T. A., Lippa, S. M., French, L. M., Kennedy, J. E., Bailie, J. M., & Lange, R. T. (2017). Female Service Members and Symptom Reporting after Combat and Non-Combat-Related Mild Traumatic Brain Injury. *Journal of Neurotrauma*, 34(2), 300–312. <https://doi.org/10.1089/neu.2016.4403>
- Brown, N. J., Harris, M., Picton, B., Nguyen, A., Gendreau, J., Sahyouni, R., & Lin, H. W. (2024). Mild Traumatic Brain Injury and the Auditory System: An Overview of the Mechanisms, Clinical Presentations and Current Diagnostic Modalities. *Journal of Neurological Surgery Part B: Skull Base*, 85(S 01), P222.
- Bryan, C. J., & Clemans, T. A. (2013). Repetitive Traumatic Brain Injury, Psychological Symptoms, and Suicide Risk in a Clinical Sample of Deployed Military

Personnel. *JAMA Psychiatry*, 70(7), 686.

<https://doi.org/10.1001/jamapsychiatry.2013.1093>

Bryden, D. W., Tilghman, J. I., & Hinds, S. R. (2019). Blast-Related Traumatic Brain Injury: Current Concepts and Research Considerations. *Journal of Experimental Neuroscience*, 13, 1179069519872213.

<https://doi.org/10.1177/1179069519872213>

Burke, J. F., Stulc, J. L., Skolarus, L. E., Sears, E. D., Zahuranec, D. B., & Morgenstern, L. B. (2013). Traumatic brain injury may be an independent risk factor for stroke. *Neurology*, 81(1), Article 1. <https://doi.org/10.1212/WNL.0b013e318297eecf>

Cancelliere, C., Verville, L., Stubbs, J. L., Yu, H., Hincapié, C. A., Cassidy, J. D., Wong, J. J., Shearer, H. M., Connell, G., Southerst, D., Howitt, S., Guist, B., & Silverberg, N. D. (2023). Post-Concussion Symptoms and Disability in Adults With Mild Traumatic Brain Injury: A Systematic Review and Meta-Analysis. *Journal of Neurotrauma*, 40(11–12), 1045–1059. <https://doi.org/10.1089/neu.2022.0185>

Capehart, B., & Bass, D. (2012). Review: Managing posttraumatic stress disorder in combat veterans with comorbid traumatic brain injury. *Journal of Rehabilitation Research and Development*, 49(5), Article 5. <https://doi.org/10.1682/jrrd.2011.10.0185>

Carlson, K. F., Nelson, D., Orazem, R. J., Nugent, S., Cifu, D. X., & Sayer, N. A. (2010). Psychiatric diagnoses among Iraq and Afghanistan war veterans screened for deployment-related traumatic brain injury. *Journal of Traumatic Stress*, 23(1), 17–24. <https://doi.org/10.1002/jts.20483>

- Carr, W., Kelley, A. L., Toolin, C. F., & Weber, N. S. (2020). Association of MOS-Based Blast Exposure With Medical Outcomes. *Frontiers in Neurology*, 11, 619. <https://doi.org/10.3389/fneur.2020.00619>
- Carr, W., Polejaeva, E., Grome, A., Crandall, B., LaValle, C., Eonta, S. E., & Young, L. A. (2015). Relation of repeated low-level blast exposure with symptomology similar to concussion. *The Journal of Head Trauma Rehabilitation*, 30(1), 47–55. <https://doi.org/10.1097/HTR.0000000000000064>
- Carr, W., Stone, J. R., Walilko, T., Young, L. A., Snook, T. L., Paggi, M. E., Tsao, J. W., Jankosky, C. J., Parish, R. V., & Ahlers, S. T. (2016). Repeated Low-Level Blast Exposure: A Descriptive Human Subjects Study. *Military Medicine*, 181(5 Suppl), 28–39. <https://doi.org/10.7205/MILMED-D-15-00137>
- Castriotta, R. J., & Lai, J. M. (2001). Sleep disorders associated with traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, 82(10), 1403–1406. <https://doi.org/10.1053/apmr.2001.26081>
- Castriotta, R. J., & Murthy, J. N. (2011). Sleep disorders in patients with traumatic brain injury: A review. *CNS Drugs*, 25(3), 175–185. <https://doi.org/10.2165/11584870-0000000000-000000>
- Cernak, I., & Noble-Haeusslein, L. J. (2010). Traumatic Brain Injury: An Overview of Pathobiology with Emphasis on Military Populations. *Journal of Cerebral Blood Flow & Metabolism*, 30(2), 255–266. <https://doi.org/10.1038/jcbfm.2009.203>
- Champagne, A. A., Coverdale, N. S., Skinner, C., Schwarz, B. A., Glikstein, R., Melkus, G., ... & Cook, D. J. (2024). Longitudinal analysis highlights structural changes in

- grey-and white-matter within military personnel exposed to blast. *Brain Injury*, 1-9.
- Chanti-Ketterl, M., Pieper, C. F., Yaffe, K., & Plassman, B. L. (2023). Associations Between Traumatic Brain Injury and Cognitive Decline Among Older Male Veterans: A Twin Study. *Neurology*, 101(18), e1761–e1770.
<https://doi.org/10.1212/WNL.0000000000207819>
- Chase, A. (2015). Traumatic brain injury increases the risk of Parkinson disease. *Nature Reviews Neurology*, 11(4), 184–184.
<https://doi.org/10.1038/nrneurol.2015.39>
- Chen, Y.-H., Kang, J.-H., & Lin, H.-C. (2011). Patients with traumatic brain injury: Population-based study suggests increased risk of stroke. *Stroke*, 42(10), Article 10. <https://doi.org/10.1161/STROKEAHA.111.620112>
- Churchill, N. W., Hutchison, M. G., Graham, S. J., & Schweizer, T. A. (2021). Sex differences in acute and long-term brain recovery after concussion. *Human Brain Mapping*, 42(18), 5814–5826. <https://doi.org/10.1002/hbm.25591>
- Cifu, D. X. (2022). Clinical research findings from the long-term impact of military-relevant brain injury consortium-Chronic Effects of Neurotrauma Consortium (LIMBIC-CENC) 2013-2021. *Brain Injury*, 36(5), 587–597.
<https://doi.org/10.1080/02699052.2022.2033843>
- Clausen, A. N., Meyers, K. R., Stamey, H. M., & Spilman, S. K. (2024). Traumatic Brain Injury, Psychological Trauma Exposure, and Anxious and Depressive Symptoms in a Clinical Population. *Journal of Trauma Nursing: The Official Journal of the Society of Trauma Nurses*, 31(2), 82–89.
<https://doi.org/10.1097/JTN.0000000000000777>

- Cogan, A. M., McCaughey, V. K., & Scholten, J. (2020). Gender Differences in Outcomes after Traumatic Brain Injury among Service Members and Veterans. *PM & R: The Journal of Injury, Function, and Rehabilitation*, 12(3), 301–314.
<https://doi.org/10.1002/pmrj.12237>
- Collen, J., Orr, N., Lettieri, C. J., Carter, K., & Holley, A. B. (2012). Sleep disturbances among soldiers with combat-related traumatic brain injury. *Chest*, 142(3), Article 3. <https://doi.org/10.1378/chest.11-1603>
- Collins, C. L., Fletcher, E. N., Fields, S. K., Kluchurosky, L., Rohrkemper, M. K., Comstock, R. D., & Cantu, R. C. (2014). Neck strength: A protective factor reducing risk for concussion in high school sports. *The Journal of Primary Prevention*, 35(5), 309–319. <https://doi.org/10.1007/s10935-014-0355-2>
- Combs, H. L., Berry, D. T. R., Pape, T., Babcock-Parziale, J., Smith, B., Schleenbaker, R., Shandera-Ochsner, A., Harp, J. P., & High, W. M. (2015). The Effects of Mild Traumatic Brain Injury, Post-Traumatic Stress Disorder, and Combined Mild Traumatic Brain Injury/Post-Traumatic Stress Disorder on Returning Veterans. *Journal of Neurotrauma*, 32(13), Article 13. <https://doi.org/10.1089/neu.2014.3585>
- Committee on the Review of the Department of Veterans Affairs Examinations for Traumatic Brain Injury, Board on Health Care Services, Health and Medicine Division, & National Academies of Sciences, Engineering, and Medicine. (2019). *Evaluation of the Disability Determination Process for Traumatic Brain Injury in Veterans* (p. 25317). National Academies Press. <https://doi.org/10.17226/25317>
- Coppel, D., Barber, J., Temkin, N. R., & Mac Donald, C. L. (2024). Combat Deployed Service Members by Blast TBI and Service Separation Status 5-years Post-deployment: Comparison of Cognitive, Neurobehavioral, and Psychological

- Profiles of Those Who Left vs. Those Still Serving. *Military Medicine*, 189(3–4), e795–e801. <https://doi.org/10.1093/milmed/usad378>
- Davis, D. P., Douglas, D. J., Smith, W., Sise, M. J., Vilke, G. M., Holbrook, T. L., Kennedy, F., Eastman, A. B., Velky, T., & Hoyt, D. B. (2006). Traumatic brain injury outcomes in pre- and post- menopausal females versus age-matched males. *Journal of Neurotrauma*, 23(2), Article 2. <https://doi.org/10.1089/neu.2006.23.140>
- de Souza, N. L., Bogner, J., Corrigan, J. D., Rabinowitz, A. R., Walker, W. C., Kumar, R. G., & Dams-O'Connor, K. (2024). The Effects of Repetitive Head Impact Exposure on Mental Health Symptoms Following Traumatic Brain Injury. *The Journal of Head Trauma Rehabilitation*. <https://doi.org/10.1097/HTR.0000000000000936>
- DeGraba, T. J., Williams, K., Koffman, R., Bell, J. L., Pettit, W., Kelly, J. P., Dittmer, T. A., Nussbaum, G., Grammer, G., Bleiberg, J., French, L. M., & Pickett, T. C. (2020). Efficacy of an Interdisciplinary Intensive Outpatient Program in Treating Combat-Related Traumatic Brain Injury and Psychological Health Conditions. *Frontiers in Neurology*, 11, 580182. <https://doi.org/10.3389/fneur.2020.580182>
- Delic, V., Beck, K. D., Pang, K. C. H., & Citron, B. A. (2020). Biological links between traumatic brain injury and Parkinson's disease. *Acta Neuropathologica Communications*, 8(1), 45. <https://doi.org/10.1186/s40478-020-00924-7>
- Deliz, J. R., Tanner, C. M., & Gonzalez-Latapi, P. (2024). Epidemiology of Parkinson's Disease: An Update. *Current Neurology and Neuroscience Reports*, 24(6), 163–179. <https://doi.org/10.1007/s11910-024-01339-w>

- Dell, K. (2020). Examining Headache and Postural Control Variability During Explosive Breacher Training. *The Graduate School of Pennsylvania State University*.
- DeMario, P., Waddell, K., Ali, A., Dass, R., Grewal, E., Wu, N., & Wilson, M. (2024, July 2). Rapid evidence profile #75: *Examining the association between the role of military breacher and sniper and the effects of mild traumatic brain injuries*. Hamilton: McMaster Health Forum. <https://www.mcmasterforum.org/about-us/products>
- Dennis, E. L., Rowland, J. A., Esopenko, C., Tustison, N. J., Newsome, M. R., Hovenden, E. S., Avants, B. B., Gill, J., Hinds, S. R., Kenney, K., Lindsey, H. M., Martindale, S. L., Pugh, M. J., Scheibel, R. S., Shahim, P.-P., Shih, R., Stone, J. R., Troyanskaya, M., Walker, W. C., ... Wilde, E. A. (2024). *Brain volume changes following blast-related mild TBI in service members and veterans: A LIMBIC-CENC study*. <https://doi.org/10.1101/2024.02.27.24303460>
- Dennis, E. L., Taylor, B. A., Newsome, M. R., Troyanskaya, M., Abildskov, T. J., Betts, A. M., Bigler, E. D., Cole, J., Davenport, N., Duncan, T., Gill, J., Guedes, V., Hinds, S. R., Hovenden, E. S., Kenney, K., Pugh, M. J., Scheibel, R. S., Shahim, P.-P., Shih, R., ... Wilde, E. A. (2022). Advanced brain age in deployment-related traumatic brain injury: A LIMBIC-CENC neuroimaging study. *Brain Injury*, 36(5), 662–672. <https://doi.org/10.1080/02699052.2022.2033844>
- DePalma, R. G. (2015). Combat TBI: History, Epidemiology, and Injury Modes. In F. H. Kobeissy (Ed.), *Brain Neurotrauma: Molecular, Neuropsychological, and Rehabilitation Aspects*. CRC Press/Taylor & Francis. <http://www.ncbi.nlm.nih.gov/books/NBK299230/>

- DePalma, R. G., & Hoffman, S. W. (2018). Combat blast related traumatic brain injury (TBI): Decade of recognition; promise of progress. *Behavioural Brain Research*, 340, 102–105. <https://doi.org/10.1016/j.bbr.2016.08.036>
- Department of Veterans Affairs, & Department of Defense. (2016). *VA/DoD clinical practice guideline for management of concussion/mild traumatic brain injury*. http://www.healthquality.va.gov/management_of_concussion_mtbi.asp
- Déry, J., Ouellet, B., de Guise, É., Bussi res,  .-L., & Lamontagne, M.-E. (2023). Prognostic factors for persistent symptoms in adults with mild traumatic brain injury: An overview of systematic reviews. *Systematic Reviews*, 12(1), 127. <https://doi.org/10.1186/s13643-023-02284-4>
- Devoto, C., Arcurio, L., Fetta, J., Ley, M., Rodney, T., Kanefsky, R., & Gill, J. (2017). Inflammation Relates to Chronic Behavioral and Neurological Symptoms in Military Personnel with Traumatic Brain Injuries. *Cell Transplantation*, 26(7), 1169–1177. <https://doi.org/10.1177/0963689717714098>
- Devoto, C., Guedes, V. A., Lai, C., Leete, J. J., Mithani, S., Edwards, K., Vorn, R., Qu, B.-X., Wilde, E. A., Walker, W. C., Diaz-Arrastia, R., Werner, J. K., Kenney, K., & Gill, J. M. (2022). Remote blast-related mild traumatic brain injury is associated with differential expression of exosomal microRNAs identified in neurodegenerative and immunological processes. *Brain Injury*, 36(5), 652–661. <https://doi.org/10.1080/02699052.2022.2042854>
- Dharm-Datta, S., & McLenaghan, J. (2013). Medical lessons learnt from the US and Canadian experience of treating combat casualties from Afghanistan and Iraq. *Journal of the Royal Army Medical Corps*, 159(2), Article 2. <https://doi.org/10.1136/jramc-2013-000032>

- Diaz-Arrastia, R., & Kenney, K. (2014). Epidemiology of traumatic brain injury. In P. E. Vos & R. Diaz-Arrastia (Eds.), *Traumatic Brain Injury* (1st ed., pp. 181–191). Wiley.
<https://doi.org/10.1002/9781118656303.ch10>
- Dieter, J. N., & Engel, S. D. (2019). Traumatic Brain Injury and Posttraumatic Stress Disorder: Comorbid Consequences of War. *Neuroscience Insights*, 14, 1179069519892933. <https://doi.org/10.1177/1179069519892933>
- Dismuke-Greer, C., Hirsch, S., Carlson, K., Pogoda, T., Nakase-Richardson, R., Bhatnagar, S., Eapen, B., Troyanskaya, M., Miles, S., Nolen, T., & Walker, W. C. (2020). Health Services Utilization, Health Care Costs, and Diagnoses by Mild Traumatic Brain Injury Exposure: A Chronic Effects of Neurotrauma Consortium Study. *Archives of Physical Medicine and Rehabilitation*, 101(10), 1720–1730. <https://doi.org/10.1016/j.apmr.2020.06.008>
- Dollé, J.-P., Jaye, A., Anderson, S. A., Ahmadzadeh, H., Shenoy, V. B., & Smith, D. H. (2018). Newfound sex differences in axonal structure underlie differential outcomes from in vitro traumatic axonal injury. *Experimental Neurology*, 300, 121–134. <https://doi.org/10.1016/j.expneurol.2017.11.001>
- Doroszkieicz, C., Gold, D., Green, R., Tartaglia, M. C., Ma, J., & Tator, C. H. (2021). Anxiety, Depression, and Quality of Life: A Long-Term Follow-Up Study of Patients with Persisting Concussion Symptoms. *Journal of Neurotrauma*, 38(4), 493–505. <https://doi.org/10.1089/neu.2020.7313>
- Eagle, S. R., Kontos, A. P., Collins, M. W., Mucha, A., Holland, C. L., Edelman, K., Benso, S., Schneider, W., Soose, R., & Okonkwo, D. O. (2021). Targeted Intervention Improves Symptoms and Impairments in Patients With Mild Traumatic Brain Injury With Chronic Symptom: A Prospective, Multiple Interventional Research

- Trial. *Journal of Special Operations Medicine*, 21(2), 61.
<https://doi.org/10.55460/AEY2-8NRI>
- Eapen, B. C., Bowles, A. O., Sall, J., Lang, A. E., Hoppes, C. W., Stout, K. C., Kretzmer, T., & Cifu, D. X. (2022). The management and rehabilitation of post-acute mild traumatic brain injury. *Brain Injury*, 36(5), 693–702.
<https://doi.org/10.1080/02699052.2022.2033848>
- Edri, I. E. (2024). Blast injury risks to humans within a military trench. *Defence Technology*, S2214914724000710. <https://doi.org/10.1016/j.dt.2024.03.006>
- Edwards, K. A., Greer, K., Leete, J., Lai, C., Devoto, C., Qu, B.-X., Yarnell, A. M., Polejaeva, E., Dell, K. C., LoPresti, M. L., Walker, P., Wassermann, E. M., Carr, W., Stone, J. R., Ahlers, S. T., Vorn, R., Martin, C., & Gill, J. M. (2021). Neuronally-derived tau is increased in experienced breachers and is associated with neurobehavioral symptoms. *Scientific Reports*, 11(1), 19527. <https://doi.org/10.1038/s41598-021-97913-0>
- Englert, R. M., Belding, J. N., & Thomsen, C. J. (2023). Self-Reported Symptoms in U.S. Marines Following Blast- and Impact-Related Concussion. *Military Medicine*, 188(7–8), e2118–e2125. <https://doi.org/10.1093/milmed/usad026>
- Eonta, S. E., Kamimori, G. H., Wang, K. K. W., Carr, W., LaValle, C. R., Egnoto, M. J., & Tate, C. M. (2020). Case Study of a Breacher: Investigation of Neurotrauma Biomarker Levels, Self-reported Symptoms, and Functional MRI Analysis Before and After Exposure to Measured Low-Level Blast. *Military Medicine*, 185(3–4), e513–e517. <https://doi.org/10.1093/milmed/usz185>
- Fann, J. R., Ribe, A. R., Pedersen, H. S., Fenger-Grøn, M., Christensen, J., Benros, M. E., & Vestergaard, M. (2018). Long-term risk of dementia among people with

- traumatic brain injury in Denmark: A population-based observational cohort study. *The Lancet. Psychiatry*, 5(5), 424–431. [https://doi.org/10.1016/S2215-0366\(18\)30065-8](https://doi.org/10.1016/S2215-0366(18)30065-8)
- Fehily, B., & Fitzgerald, M. (2017). Repeated Mild Traumatic Brain Injury: Potential Mechanisms of Damage. *Cell Transplantation*, 26(7), 1131–1155. <https://doi.org/10.1177/0963689717714092>
- Fleminger, S. (2008). Long-term psychiatric disorders after traumatic brain injury. *European Journal of Anaesthesiology. Supplement*, 42, 123–130. <https://doi.org/10.1017/S0265021507003250>
- Fleminger, S., Oliver, D. L., Lovestone, S., Rabe-Hesketh, S., & Giora, A. (2003). Head injury as a risk factor for Alzheimer's disease: The evidence 10 years on; a partial replication. *Journal of Neurology, Neurosurgery, and Psychiatry*, 74(7), 857–862. <https://doi.org/10.1136/jnnp.74.7.857>
- Fordington, S., & Manford, M. (2020). A review of seizures and epilepsy following traumatic brain injury. *Journal of Neurology*, 267(10), Article 10. <https://doi.org/10.1007/s00415-020-09926-w>
- Franke, L. M., Walker, W. C., Cifu, D. X., Ochs, A. L., & Lew, H. L. (2012). Sensorintegrative dysfunction underlying vestibular disorders after traumatic brain injury: A review. *Journal of Rehabilitation Research and Development*, 49(7), 985–994. <https://doi.org/10.1682/jrrd.2011.12.0250>
- Frankini, E., Basile, E. J., Syed, F., Wei, O. C., & Toma, M. (2023). Understanding Traumatic Brain Injuries in Military Personnel: Investigating the Dynamic Interplay of the Cerebrospinal Fluid and Brain During Blasts. *Cureus*, 15(10), e46962. <https://doi.org/10.7759/cureus.46962>

- Freeman, L. C., & Ting, J. P.-Y. (2016). The pathogenic role of the inflammasome in neurodegenerative diseases. *Journal of Neurochemistry*, 136 Suppl 1, 29–38. <https://doi.org/10.1111/jnc.13217>
- French, L. M., Brickell, T. A., Lipka, S. M., Rogers, A. A., Cristaudo, K. E., Walker, T. T., Higgins, M., Bailie, J. M., Kennedy, J., Hungerford, L., & Lange, R. T. (2024). Clinical relevance of subthreshold PTSD versus full criteria PTSD following traumatic brain injury in U.S. service members and veterans. *Journal of Affective Disorders*, 358, 408–415. <https://doi.org/10.1016/j.jad.2024.05.015>
- Gallo, V., McElvenny, D. M., Seghezzo, G., Kemp, S., Williamson, E., Lu, K., Mian, S., James, L., Hobbs, C., Davoren, D., Arden, N., Davies, M., Malaspina, A., Loosemore, M., Stokes, K., Cross, M., Crutch, S., Zetterberg, H., & Pearce, N. (2022). Concussion and long-term cognitive function among rugby players—The BRAIN Study. *Alzheimer's & Dementia*, 18(6), 1164–1176. <https://doi.org/10.1002/alz.12455>
- Gallun, F. J., Diedesch, A. C., Kubli, L. R., Walden, T. C., Folmer, R. L., Lewis, S., ... Leek, M. R. (2012). Performance on tests of central auditory processing by individuals exposed to high-intensity blasts. *Journal of Rehabilitation Research & Development*, 49(7), 1005–1024.
- Gallun, F. J., Papesh, M. A., & Lewis, M. S. (2017). Hearing complaints among veterans following traumatic brain injury. *Brain Injury*, 31(9), 1183–1187.
- Garber, B. G., Rusu, C., & Zamorski, M. A. (2014). Deployment-related mild traumatic brain injury, mental health problems, and post-concussive symptoms in Canadian Armed Forces personnel. *BMC Psychiatry*, 14, 325. <https://doi.org/10.1186/s12888-014-0325-5>

- Garber, B. G., Rusu, C., Zamorski, M. A., & Boulos, D. (2016). Occupational outcomes following mild traumatic brain injury in Canadian military personnel deployed in support of the mission in Afghanistan: A retrospective cohort study. *BMJ Open*, 6(5), Article 5. <https://doi.org/10.1136/bmjopen-2015-010780>
- Gardner, R. C., Burke, J. F., Nettiksimmons, J., Goldman, S., Tanner, C. M., & Yaffe, K. (2015). Traumatic brain injury in later life increases risk for Parkinson disease. *Annals of Neurology*, 77(6), 987–995. <https://doi.org/10.1002/ana.24396>
- Gardner, R. C., Burke, J. F., Nettiksimmons, J., Kaup, A., Barnes, D. E., & Yaffe, K. (2014). Dementia Risk After Traumatic Brain Injury vs Nonbrain Trauma: The Role of Age and Severity. *JAMA Neurology*, 71(12), 1490. <https://doi.org/10.1001/jamaneurol.2014.2668>
- Gardner, R. C., Byers, A. L., Barnes, D. E., Li, Y., Boscardin, J., & Yaffe, K. (2018). Mild TBI and risk of Parkinson disease: A Chronic Effects of Neurotrauma Consortium Study. *Neurology*, 90(20), e1771–e1779. <https://doi.org/10.1212/WNL.0000000000005522>
- Gavett, B. E., Stern, R. A., Cantu, R. C., Nowinski, C. J., & McKee, A. C. (2010). Mild traumatic brain injury: A risk factor for neurodegeneration. *Alzheimer's Research & Therapy*, 2(3), Article 3. <https://doi.org/10.1186/alzrt42>
- Giordano, K. R., Rojas-Valencia, L. M., Bhargava, V., & Lifshitz, J. (2020). Beyond Binary: Influence of Sex and Gender on Outcome after Traumatic Brain Injury. *Journal of Neurotrauma*, 37(23), 2454–2459. <https://doi.org/10.1089/neu.2020.7230>
- Glikstein, R., Melkus, G., Portela de Oliveira, E., Brun-Vergara, M. L., Schwarz, B. A., Ramsay, T., ... & Skinner, C. (2025). Five-Year Serial Brain MRI Analysis of Military

- Members Exposed to Chronic Sub-Concussive Overpressures. *Journal of Magnetic Resonance Imaging*, 61(1), 415-423.
- Gu, W., Groves, L. L., & McClellan, S. F. (2024). Patterns of concomitant traumatic brain injury and ocular trauma in US service members. *Trauma Surgery & Acute Care Open*, 9(1), e001313. <https://doi.org/10.1136/tsaco-2023-001313>
- Gupta, R., & Sen, N. (2016). Traumatic brain injury: A risk factor for neurodegenerative diseases. *Reviews in the Neurosciences*, 27(1), Article 1. <https://doi.org/10.1515/revneuro-2015-0017>
- Gupte, R., Brooks, W., Vukas, R., Pierce, J., & Harris, J. (2019). Sex Differences in Traumatic Brain Injury: What We Know and What We Should Know. *Journal of Neurotrauma*, 36(22), 3063–3091. <https://doi.org/10.1089/neu.2018.6171>
- Haarbauer-Krupa, J., Pugh, M. J., Prager, E. M., Harmon, N., Wolfe, J., & Yaffe, K. (2021). Epidemiology of Chronic Effects of Traumatic Brain Injury. *Journal of Neurotrauma*, 38(23), 3235–3247. <https://doi.org/10.1089/neu.2021.0062>
- Hai, T., Agimi, Y., & Stout, K. (2023). Prevalence of Comorbidities in Active and Reserve Service Members Pre and Post Traumatic Brain Injury, 2017-2019. *Military Medicine*, 188(1–2), e270–e277. <https://doi.org/10.1093/milmed/usab342>
- Hammond, F. M., Corrigan, J. D., Ketchum, J. M., Malec, J. F., Dams-O'Connor, K., Hart, T., Novack, T. A., Bogner, J., Dahdah, M. N., & Whiteneck, G. G. (2019). Prevalence of Medical and Psychiatric Comorbidities Following Traumatic Brain Injury. *The Journal of Head Trauma Rehabilitation*, 34(4), Article 4. <https://doi.org/10.1097/HTR.0000000000000465>
- Hardy, M. S., Kennedy, J. E., & Cooper, D. B. (2020). Patient Attribution of Posttraumatic Symptoms to Brain Injury Versus PTSD in Military-Related Mild

- TBI. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 32(3), 252–258. <https://doi.org/10.1176/appi.neuropsych.19090202>
- Harris, M., Nguyen, A., Brown, N. J., Picton, B., Gendreau, J., Bui, N., Sahyouni, R., & Lin, H. W. (2024). Mild Traumatic Brain Injury and the Auditory System: An Overview of the Mechanisms, Clinical Presentations, and Current Diagnostic Modalities. *Journal of Neurotrauma*. <https://doi.org/10.1089/neu.2023.0059>
- Harrison-Felix, C., Sevigny, M., Beaulieu, C. L., Callender, L., Dams-O'Connor, K., Hammond, F. M., Hanks, R., Ketchum, J. M., Martin, A. M., Marwitz, J. H., Peckham, M., Rabinowitz, A. R., Sander, A. M., Sterling, A., Walker, W. C., Nakase-Richardson, R., & Hoffman, J. M. (2024). Characterization and Treatment of Chronic Pain After Traumatic Brain Injury-Comparison of Characteristics Between Individuals With Current Pain, Past Pain, and No Pain: A NIDILRR and VA TBI Model Systems Collaborative Project. *The Journal of Head Trauma Rehabilitation*, 39(1), 5–17. <https://doi.org/10.1097/HTR.0000000000000910>
- Haynes, Z. A., Stewart, I. J., Poltavskiy, E. A., Holley, A. B., Janak, J. C., Howard, J. T., Watrous, J., Walker, L. E., Wickwire, E. M., Werner, K., Zarzabal, L. A., Sim, A., Gundlapalli, A., & Collen, J. F. (2022). Obstructive sleep apnea among survivors of combat-related traumatic injury: A retrospective cohort study. *Journal of Clinical Sleep Medicine: JCSM: Official Publication of the American Academy of Sleep Medicine*, 18(1), 171–179. <https://doi.org/10.5664/jcsm.9530>
- Helmick, K. M., Spells, C. A., Malik, S. Z., Davies, C. A., Marion, D. W., & Hinds, S. R. (2015). Traumatic brain injury in the US military: Epidemiology and key clinical and

research programs. *Brain Imaging and Behavior*, 9(3), 358–366.

<https://doi.org/10.1007/s11682-015-9399-z>

Henion, A. K., Wang, C.-P., Amuan, M., Altalib, H. H., Towne, A. R., Hinds, S. R., Baca, C., LaFrance, W. C., Van Cott, A. C., Kean, J., Roghani, A., Kennedy, E., Panahi, S., & Pugh, M. J. V. (2023). Role of Deployment History on the Association Between Epilepsy and Traumatic Brain Injury in Post-9/11 Era US Veterans. *Neurology*, 101(24), e2571–e2584. <https://doi.org/10.1212/WNL.000000000000207943>

Hoge, C. W., & Castro, C. A. (2014). Treatment of Generalized War-Related Health Concerns: Placing TBI and PTSD in Context. *JAMA*, 312(16), 1685.

<https://doi.org/10.1001/jama.2014.6670>

Hoge, C. W., McGurk, D., Thomas, J. L., Cox, A. L., Engel, C. C., & Castro, C. A. (2008). Mild Traumatic Brain Injury in U.S. Soldiers Returning from Iraq. *New England Journal of Medicine*, 358(5), 453–463. <https://doi.org/10.1056/NEJMoa072972>

Holcomb, E. M., Schwartz, D. J., McCarthy, M., Thomas, B., Barnett, S. D., & Nakase-Richardson, R. (2016). Incidence, Characterization, and Predictors of Sleep Apnea in Consecutive Brain Injury Rehabilitation Admissions. *Journal of Head Trauma Rehabilitation*, 31(2), 82–100.

<https://doi.org/10.1097/HTR.0000000000000230>

Hong, Z.-J., Firek, M., Zachary, B., Mörs, K., Schindler, C., Marzi, I., Yu, J.-C., & Coimbra, R. (2022). The effect of age and sex on outcomes following isolated moderate to severe traumatic brain injury. *European Journal of Trauma and Emergency Surgery: Official Publication of the European Trauma Society*, 48(2), 871–880.

<https://doi.org/10.1007/s00068-020-01491-1>

- Hoover, E. C., Souza, P. E., & Gallun, F. J. (2015). Competing Views on Abnormal Auditory Results After Mild Traumatic Brain Injury. *Perspectives on Hearing and Hearing Disorders Research and Diagnostics*, 19(1), 12.
<https://doi.org/10.1044/hhd19.1.12>
- Hoover, E., Souza, P. E., & Gallun, F. J. (2014). Degraded temporal processing after traumatic brain injury. *The Journal of the Acoustical Society of America*, 135(4_Supplement), 2166–2166. <https://doi.org/10.1121/1.4877039>
- Howlett, J. R., Nelson, L. D., & Stein, M. B. (2022). Mental Health Consequences of Traumatic Brain Injury. *Biological Psychiatry*, 91(5), 413–420.
<https://doi.org/10.1016/j.biopsych.2021.09.024>
- Hughes, C. K., Thapa, S., Theodoroff, S. M., Carlson, K. F., Schultz, J. D., Grush, L. D., & Reavis, K. M. (2024). Military and Nonmilitary TBI Associations with Hearing Loss and Self-Reported Hearing Difficulty among Active-Duty Service Members and Veterans. *Otology & Neurotology: Official Publication of the American Otological Society, American Neurotology Society [and] European Academy of Otology and Neurotology*, 45(3), e147–e155.
<https://doi.org/10.1097/MAO.00000000000004103>
- Hume, C. H., Wright, B. J., & Kinsella, G. J. (2022). Systematic Review and Meta-analysis of Outcome after Mild Traumatic Brain Injury in Older People. *Journal of the International Neuropsychological Society*, 28(7), 736–755.
<https://doi.org/10.1017/S1355617721000795>
- Hunfalvay, M., Murray, N. P., Creel, W. T., & Carrick, F. R. (2022). Long-term effects of low-level blast exposure and high-caliber weapons use in military special operators. *Brain sciences*, 12(5), 679.

- Institute of Medicine (US) Committee on Gulf War and Health: Brain Injury in Veterans and Long-Term Health Outcomes. (2008). *Gulf War and Health: Volume 7: Long-Term Consequences of Traumatic Brain Injury*. National Academies Press (US). <http://www.ncbi.nlm.nih.gov/books/NBK214701/>
- Ivins, B., Risling, M., Wisén, N., Schwab, K., & Rostami, E. (2023). Mild Traumatic Brain Injury in the Maturing Brain: An Investigation of Symptoms and Cognitive Performance in Soldiers Returning From Afghanistan and Iraq. *The Journal of Head Trauma Rehabilitation*. <https://doi.org/10.1097/HTR.0000000000000919>
- Jacks, D. E., Tereshko, W. D., & Moore, J. B. (2022). Diagnosed Concussion and Undiagnosed Head Trauma Is Associated With Long-Term Concussion-Related Symptoms in Former College Football Players. *American Journal of Physical Medicine & Rehabilitation*, 101(3), 250–254. <https://doi.org/10.1097/PHM.0000000000001782>
- Jafari, S., Etminan, M., Aminzadeh, F., & Samii, A. (2013). Head injury and risk of Parkinson disease: A systematic review and meta-analysis. *Movement Disorders: Official Journal of the Movement Disorder Society*, 28(9), 1222–1229. <https://doi.org/10.1002/mds.25458>
- Jannace, K. C., Pompeii, L., Gimeno Ruiz de Porras, D., Perkison, W. B., Yamal, J.-M., Trone, D. W., & Rull, R. P. (2023). Occupation and Risk of Traumatic Brain Injury in the Millennium Cohort Study. *Military Medicine*, 188(9–10), e3057–e3065. <https://doi.org/10.1093/milmed/usac035>
- Jannace, K. C., Pompeii, L., Gimeno Ruiz de Porras, D., Perkison, W. B., Yamal, J.-M., Trone, D. W., & Rull, R. P. (2024). Lifetime Traumatic Brain Injury and Risk of

- Post-Concussive Symptoms in the Millennium Cohort Study. *Journal of Neurotrauma*, 41(5–6), 613–622. <https://doi.org/10.1089/neu.2022.0213>
- Johnson, V. E., Stewart, W., Arena, J. D., & Smith, D. H. (2017). Traumatic Brain Injury as a Trigger of Neurodegeneration. *Advances in Neurobiology*, 15, 383–400. https://doi.org/10.1007/978-3-319-57193-5_15
- Jones, C., Ramsey, K., Beydoun, H. A., & Johnstone, B. (2023). Neuropsychological deficit profiles for service members with mild traumatic brain injury. *Brain Injury*, 37(9), 1116–1125. <https://doi.org/10.1080/02699052.2023.2209739>
- Kamimori, G. H., LaValle, C. R., Eonta, S. E., Carr, W., Tate, C., & Wang, K. K. W. (2018). Longitudinal Investigation of Neurotrauma Serum Biomarkers, Behavioral Characterization, and Brain Imaging in Soldiers Following Repeated Low-Level Blast Exposure (New Zealand Breacher Study). *Military Medicine*, 183(suppl_1), 28–33. <https://doi.org/10.1093/milmed/usx186>
- Kamimori, G. H., Reilly, L. A., LaValle, C. R., & Olaghere Da Silva, U. B. (2017). Occupational overpressure exposure of breachers and military personnel. *Shock Waves*, 27, 837–847. <https://doi.org/10.1007/s00193-017-0738-4>
- Kanefsky, R., Motamedi, V., Mithani, S., Mysliwiec, V., Gill, J. M., & Pattinson, C. L. (2019). Mild traumatic brain injuries with loss of consciousness are associated with increased inflammation and pain in military personnel. *Psychiatry Research*, 279, 34–39. <https://doi.org/10.1016/j.psychres.2019.07.001>
- Kaplan, G. B., Leite-Morris, K. A., Wang, L., Rumbika, K. K., Heinrichs, S. C., Zeng, X., Wu, L., Arena, D. T., & Teng, Y. D. (2018). Pathophysiological Bases of Comorbidity: Traumatic Brain Injury and Post-Traumatic Stress Disorder. *Journal of Neurotrauma*, 35(2), Article 2. <https://doi.org/10.1089/neu.2016.4953>

- Kempuraj, D., & Mohan, R. R. (2024). Blast injury: Impact to the cornea. *Experimental Eye Research*, 244, 109915. <https://doi.org/10.1016/j.exer.2024.109915>
- Kenborg, L., Rugbjerg, K., Lee, P.-C., Ravnskjær, L., Christensen, J., Ritz, B., & Lassen, C. F. (2015). Head injury and risk for Parkinson disease: Results from a Danish case-control study. *Neurology*, 84(11), 1098–1103. <https://doi.org/10.1212/WNL.0000000000001362>
- Kennedy, E., Ozmen, M., Bouldin, E. D., Panahi, S., Mobasher, H., Troyanskaya, M., Martindale, S. L., Merritt, V. C., O'Neil, M., Sponheim, S. R., Remigio-Baker, R. A., Presson, A., Swan, A. A., Werner, J. K., Greene, T. H., Wilde, E. A., Tate, D. F., Walker, W. C., & Pugh, M. J. (2024). Phenotyping Depression After Mild Traumatic Brain Injury: Evaluating the Impact of Multiple Injury, Gender, and Injury Context. *Journal of Neurotrauma*, 41(7–8), 924–933. <https://doi.org/10.1089/neu.2023.0381>
- Kennedy, J. E., Lu, L. H., Reid, M. W., Leal, F. O., & Cooper, D. B. (2019). Correlates of Depression in U.S. Military Service Members With a History of Mild Traumatic Brain Injury. *Military Medicine*, 184(Supplement_1), 148–154. <https://doi.org/10.1093/milmed/usy321>
- Kim, S., Ollinger, J., Song, C., Raiciulescu, S., Seenivasan, S., Wolfgang, A., Kim, H., Werner, J. K., & Yeh, P.-H. (2024). White Matter Alterations in Military Service Members With Remote Mild Traumatic Brain Injury. *JAMA Network Open*, 7(4), e248121. <https://doi.org/10.1001/jamanetworkopen.2024.8121>
- Kim, S. Y., Yeh, P.-H., Ollinger, J. M., Morris, H. D., Hood, M. N., Ho, V. B., & Choi, K. H. (2023). Military-related mild traumatic brain injury: Clinical characteristics,

- advanced neuroimaging, and molecular mechanisms. *Translational Psychiatry*, 13(1), 289. <https://doi.org/10.1038/s41398-023-02569-1>
- Knobloch, L. K., & Abendschein, B. (2024). Traumatic brain injury and relationship distress during military deployment and reunion. *Family Relations*, 73(1), 424–440. <https://doi.org/10.1111/fare.12849>
- Kocik, V. I., Dengler, B. A., Rizzo, J. A., Ma Moran, M., Willis, A. M., April, M. D., & Schauer, S. G. (2024). A Narrative Review of Existing and Developing Biomarkers in Acute Traumatic Brain Injury for Potential Military Deployed Use. *Military Medicine*, 189(5–6), e1374–e1380. <https://doi.org/10.1093/milmed/usad433>
- Kong, L.-Z., Zhang, R.-L., Hu, S.-H., & Lai, J.-B. (2022). Military traumatic brain injury: A challenge straddling neurology and psychiatry. *Military Medical Research*, 9(1), 2. <https://doi.org/10.1186/s40779-021-00363-y>
- Kulinski, D., Carr, W., Garfield, B. A., Salib, J., Dirks, C., Sheffield, B., & Brungart, D. S. (2023). Acute Hearing Deficits associated with Weapons Exposure in Section 734 Blast Overpressure Study (BOS). *Military Medicine*, 188(Suppl 6), 666–673. <https://doi.org/10.1093/milmed/usad299>
- Kumar, R. G., Klyce, D., Nakase-Richardson, R., Pugh, M. J., Walker, W. C., & Dams-O'Connor, K. (2023). Associations of Military Service History and Health Outcomes in the First Five Years After Traumatic Brain Injury. *Journal of Neurotrauma*, 40(11–12), 1173–1186. <https://doi.org/10.1089/neu.2022.0340>
- Kurowski, B. G., Treble-Barna, A., Pitzer, A. J., Wade, S. L., Martin, L. J., Chima, R. S., & Jegga, A. (2017). Applying Systems Biology Methodology To Identify Genetic Factors Possibly Associated with Recovery after Traumatic Brain Injury.

- Journal of Neurotrauma*, 34(14), 2280–2290.
<https://doi.org/10.1089/neu.2016.4856>
- Lange, R. T., French, L. M., Lippa, S. M., Gillow, K. C., Bailie, J. M., Turner, S. M., Hungerford, L. D., & Brickell, T. A. (2024). Convergent and Discriminant Validity of the Blast Exposure Threshold Survey in United States Military Service Members and Veterans. *Journal of Neurotrauma*, 41(7–8), 934–941.
<https://doi.org/10.1089/neu.2023.0379>
- Larson-Dupuis, C., Léveillé, E., Desjardins, M., Jodoin, M., Bourassa, M.-È., Bergeron, H., Beaulieu, C., Carrier, J., Pepin, V., & De Beaumont, L. (2020). Subtle long-term cognitive effects of a single mild traumatic brain injury and the impact of a three-month aerobic exercise intervention. *The Journal of Sports Medicine and Physical Fitness*, 61(1). <https://doi.org/10.23736/S0022-4707.20.10918-6>
- LaValle, C. R., Carr, W. S., Egnoto, M. J., Misistia, A. C., Salib, J. E., Ramos, A. N., & Kamimori, G. H. (2019). Neurocognitive Performance Deficits Related to Immediate and Acute Blast Overpressure Exposure. *Frontiers in Neurology*, 10, 949. <https://doi.org/10.3389/fneur.2019.00949>
- Le, M., Šarkić, B., & Anderson, R. (2024). Prevalence of tinnitus following non-blast related traumatic brain injury: A systematic review of literature. *Brain Injury*, 1–10. <https://doi.org/10.1080/02699052.2024.2353798>
- Lee, Y.-K., Hou, S.-W., Lee, C.-C., Hsu, C.-Y., Huang, Y.-S., & Su, Y.-C. (2013). Increased risk of dementia in patients with mild traumatic brain injury: A nationwide cohort study. *PloS One*, 8(5), Article 5. <https://doi.org/10.1371/journal.pone.0062422>
- Leiva-Salinas, C., Singh, A., Layfield, E., Flors, L., & Patrie, J. T. (2023). Early Brain Amyloid Accumulation at PET in Military Instructors Exposed to

Subconcussive Blast Injuries. *Radiology*, 307(5), e221608.

<https://doi.org/10.1148/radiol.221608>

Lennon, M. J., Brooker, H., Creese, B., Thayanandan, T., Rigney, G., Aarsland, D., Hampshire, A., Ballard, C., Corbett, A., & Raymont, V. (2023). Lifetime Traumatic Brain Injury and Cognitive Domain Deficits in Late Life: The PROTECT-TBI Cohort Study. *Journal of Neurotrauma*, 40(13–14), 1423–1435.

<https://doi.org/10.1089/neu.2022.0360>

Levin, H. S., Temkin, N. R., Barber, J., Nelson, L. D., Robertson, C., Brennan, J., Stein, M. B., Yue, J. K., Giacino, J. T., McCrea, M. A., Diaz-Arrastia, R., Mukherjee, P., Okonkwo, D. O., Boase, K., Markowitz, A. J., Bodien, Y., Taylor, S., Vassar, M. J., Manley, G. T., ... Zafonte, R. (2021). Association of Sex and Age With Mild Traumatic Brain Injury-Related Symptoms: A TRACK-TBI Study. *JAMA Network Open*, 4(4), e213046. <https://doi.org/10.1001/jamanetworkopen.2021.3046>

Li, Y., Yang, Z., Liu, B., Valdez, C., Chavko, M., & Cancio, L. C. (2019). Low-Level Primary Blast Induces Neuroinflammation and Neurodegeneration in Rats. *Military Medicine*, 184(Suppl 1), 265–272. <https://doi.org/10.1093/milmed/usy330>

Lin, S.-Y., Chen, W., Harnod, T., Lin, C.-L., Hsu, W.-H., Lin, C.-C., Chang, Y.-L., Wang, I.-K., & Kao, C.-H. (2019). Sleep apnea and risk of traumatic brain injury and associated mortality and healthcare costs: A population-based cohort study. *Annals of Translational Medicine*, 7(22), 644–644.

<https://doi.org/10.21037/atm.2019.10.88>

Lindberg, M. A., Moy Martin, E. M., & Marion, D. W. (2022). Military Traumatic Brain Injury: The History, Impact, and Future. *Journal of Neurotrauma*, 39(17–18), Article 17–18. <https://doi.org/10.1089/neu.2022.0103>

- Lippa, S. M., Bailie, J. M., French, L. M., Brickell, T. A., & Lange, R. T. (2024). Lifetime blast exposure is not related to cognitive performance or psychiatric symptoms in US military personnel. *The Clinical Neuropsychologist*, 1–23.
<https://doi.org/10.1080/13854046.2024.2328881>
- Lippa, S. M., Yeh, P.-H., Kennedy, J. E., Bailie, J. M., Ollinger, J., Brickell, T. A., French, L. M., & Lange, R. T. (2023). Lifetime Blast Exposure Is Not Related to White Matter Integrity in Service Members and Veterans With and Without Uncomplicated Mild Traumatic Brain Injury. *Neurotrauma Reports*, 4(1), 827–837. <https://doi.org/10.1089/neur.2023.0043>
- Littlefield, P. D., Pinto, R. L., Burrows, H. L., & Brungart, D. S. (2016). The Vestibular Effects of Repeated Low-Level Blasts. *Journal of Neurotrauma*, 33(1), 71–81.
<https://doi.org/10.1089/neu.2014.3824>
- Lo, R. Y., & Tanner, C. M. (2014). Parkinson's Disease; Epidemiology. In *Encyclopedia of the Neurological Sciences* (pp. 833–839). Elsevier. <https://doi.org/10.1016/B978-0-12-385157-4.00605-9>
- LoBue, C., Munro, C., Schaffert, J., Didehbani, N., Hart, J., Batjer, H., & Cullum, C. M. (2019). Traumatic Brain Injury and Risk of Long-Term Brain Changes, Accumulation of Pathological Markers, and Developing Dementia: A Review. *Journal of Alzheimer's Disease: JAD*, 70(3), Article 3.
<https://doi.org/10.3233/JAD-190028>
- Loignon, A., Ouellet, M.-C., & Belleville, G. (2020). A Systematic Review and Meta-analysis on PTSD Following TBI Among Military/Veteran and Civilian Populations. *The Journal of Head Trauma Rehabilitation*, 35(1), E21–E35.
<https://doi.org/10.1097/HTR.0000000000000514>

- Long, Y.-R., Zhao, K., Zhang, F.-C., Li, Y., Wang, J.-W., Niu, H.-Q., & Lei, J. (2024). Trends and hotspots in research of traumatic brain injury from 2000 to 2022: A bibliometric study. *Neurochemistry International*, 172, 105646.
<https://doi.org/10.1016/j.neuint.2023.105646>
- Mac Donald, C. L., Barber, J., Patterson, J., Johnson, A. M., Parsey, C., Scott, B., Fann, J. R., & Temkin, N. R. (2021). Comparison of Clinical Outcomes 1- and 5-Years Post-Injury Following Combat Concussion. *Neurology*, 96(3).
<https://doi.org/10.1212/WNL.00000000000011089>
- MacGregor, A. J., Dougherty, A. L., & Galarneau, M. R. (2011). Injury-specific correlates of combat-related traumatic brain injury in Operation Iraqi Freedom. *The Journal of Head Trauma Rehabilitation*, 26(4), Article 4.
<https://doi.org/10.1097/HTR.0b013e3181e94404>
- Madsen, T., Erlangsen, A., Orlovskaya, S., Mofaddy, R., Nordentoft, M., & Benros, M. E. (2018). Association Between Traumatic Brain Injury and Risk of Suicide. *JAMA*, 320(6), Article 6. <https://doi.org/10.1001/jama.2018.10211>
- Marcolini, S., Rojczyk, P., Seitz-Holland, J., Koerte, I. K., Alosco, M. L., Bouix, S., & Department of Defense Alzheimer's Disease Neuroimaging Initiative. (2023). Posttraumatic Stress and Traumatic Brain Injury: Cognition, Behavior, and Neuroimaging Markers in Vietnam Veterans. *Journal of Alzheimer's Disease: JAD*, 95(4), 1427–1448. <https://doi.org/10.3233/JAD-221304>
- Marzolla, M. C., Wijenberg, M., Stapert, S., Hurks, P., Schepers, J., & van Heugten, C. (2023). Hypersensitivity to Noise and Light Over 1 Year After Mild Traumatic Brain Injury: A Longitudinal Study on Self-Reported Hypersensitivity and Its Influence on Long-Term Anxiety, Depression, and Quality of Life. *Journal of*

Head Trauma Rehabilitation, 38(3), 259–267.

<https://doi.org/10.1097/HTR.0000000000000813>

Massaad, E., & Kiapour, A. (2024). Long-Term Health Outcomes of Traumatic Brain Injury in Veterans. *JAMA Network Open*, 7(2), e2354546.

<https://doi.org/10.1001/jamanetworkopen.2023.54546>

Mavroudis, I., Ciobica, A., Bejenariu, A. C., Dobrin, R. P., Apostu, M., Dobrin, I., & Balmus, I.-M. (2024). Cognitive Impairment following Mild Traumatic Brain Injury (mTBI): A Review. *Medicina (Kaunas, Lithuania)*, 60(3), 380.

<https://doi.org/10.3390/medicina60030380>

McCrea, M. A., Martinez, K. A., Janecek, J. K., Brett, B., & Nelson, L. D. (2024). Traumatic brain injury and persistent postconcussion symptoms. In M. W. Parsons & M. M. Braun (Eds.), *Clinical neuropsychology: A pocket handbook for assessment* (4th ed.). (pp. 410–434). American Psychological Association.

<https://doi.org/10.1037/0000383-016>

McDonald, S. D., Walker, W. C., Cusack, S. E., Yoash-Gantz, R. E., Pickett, T. C., Cifu, D. X., Mid-Atlantic Mirecc Workgroup, V., & Tupler, L. A. (2021). Health symptoms after war zone deployment-related mild traumatic brain injury: Contributions of mental disorders and lifetime brain injuries. *Brain Injury*, 35(11), 1338–1348.

<https://doi.org/10.1080/02699052.2021.1959058>

McInnes, K., Friesen, C. L., MacKenzie, D. E., Westwood, D. A., & Boe, S. G. (2017). Mild Traumatic Brain Injury (mTBI) and chronic cognitive impairment: A scoping review. *PloS One*, 12(4), e0174847. <https://doi.org/10.1371/journal.pone.0174847>

- McKee, A. C., & Robinson, M. E. (2014). Military-related traumatic brain injury and neurodegeneration. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 10(3 Suppl), Article 3 Suppl. <https://doi.org/10.1016/j.jalz.2014.04.003>
- Merritt, V. C., Gasperi, M., Yim, J., Ly, M. T., & Chanfreau-Coffinier, C. (2024). Exploring Interactions Between Traumatic Brain Injury History and Gender on Medical Comorbidities in Military Veterans: An Epidemiological Analysis in the VA Million Veteran Program. *Journal of Neurotrauma*, 41(5–6), Article 5–6. <https://doi.org/10.1089/neu.2023.0174>
- Metti, A., Schwab, K., Finkel, A., Pazdan, R., Brenner, L., Cole, W., Terrio, H., & Scher, A. I. (2020). Posttraumatic vs nontraumatic headaches: A phenotypic analysis in a military population. *Neurology*, 94(11). <https://doi.org/10.1212/WNL.00000000000008935>
- Meyer, K. S., Marion, D. W., Coronel, H., & Jaffee, M. S. (2010). Combat-related traumatic brain injury and its implications to military healthcare. *The Psychiatric Clinics of North America*, 33(4), Article 4. <https://doi.org/10.1016/j.psc.2010.08.007>
- Mikolic, A., Groeniger, J. O., Zeldovich, M., Wilson, L., van Lennep, J. R., van Klaveren, D., Polinder, S., & Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) Participants and Investigators. (2021). Explaining Outcome Differences between Men and Women following Mild Traumatic Brain Injury. *Journal of Neurotrauma*, 38(23), Article 23. <https://doi.org/10.1089/neu.2021.0116>
- Mikolić, A., van Klaveren, D., Groeniger, J. O., Wiegers, E. J. A., Lingsma, H. F., Zeldovich, M., von Steinbüchel, N., Maas, A. I. R., Roeters van Lennep, J. E.,

Polinder, S., & CENTER-TBI Participants and Investigators. (2021). Differences between Men and Women in Treatment and Outcome after Traumatic Brain Injury. *Journal of Neurotrauma*, 38(2), Article 2.

<https://doi.org/10.1089/neu.2020.7228>

Miller, R. M., Dunn, J. A., O'Beirne, G. A., Whitney, S. L., & Snell, D. L. (2024).

Relationships between vestibular issues, noise sensitivity, anxiety and prolonged recovery from mild traumatic brain injury among adults: A scoping review. *Brain Injury*, 38(8), 607–619.

<https://doi.org/10.1080/02699052.2024.2337905>

Mitra, B., Beck, B., Dipnall, J. F., Ponsford, J., Gabbe, B., & Cameron, P. A. (2023). Long-term outcomes of major trauma patients with concussion. *Injury*, 54(1), 75–81.

<https://doi.org/10.1016/j.injury.2022.07.048>

Modica, C. M., Johnson, B. R., Zalewski, C., King, K., Brewer, C., King, J. E., Yarnell, A. M., LoPresti, M. L., Walker, P. B., Dell, K. C., Polejaeva, E., Quick, A., Arnold, B., Wassermann, E. M., Stone, J. R., Ahlers, S. T., & Carr, W. (2020). Hearing Loss and Irritability Reporting Without Vestibular Differences in Explosive Breaching Professionals. *Frontiers in Neurology*, 11, 588377.

<https://doi.org/10.3389/fneur.2020.588377>

Mollayeva, T., Mollayeva, S., Pacheco, N., & Colantonio, A. (2021). Systematic Review of Sex and Gender Effects in Traumatic Brain Injury: Equity in Clinical and Functional Outcomes. *Frontiers in Neurology*, 12, 678971.

<https://doi.org/10.3389/fneur.2021.678971>

- Mucha, A., Fedor, S., & DeMarco, D. (2018). Vestibular dysfunction and concussion. *Handbook of Clinical Neurology*, 158, 135–144. <https://doi.org/10.1016/B978-0-444-63954-7.00014-8>
- Munivenkatappa, A., Agrawal, A., Shukla, D. P., Kumaraswamy, D., & Devi, B. I. (2016). Traumatic brain injury: Does gender influence outcomes? *International Journal of Critical Illness and Injury Science*, 6(2), Article 2. <https://doi.org/10.4103/2229-5151.183024>
- Nakase-Richardson, R., Dahdah, M. N., Almeida, E., Ricketti, P., Silva, M. A., Calero, K., Magalang, U., & Schwartz, D. J. (2020). Concordance between current American Academy of Sleep Medicine and Centers for Medicare and Medicare scoring criteria for obstructive sleep apnea in hospitalized persons with traumatic brain injury: A VA TBI Model System study. *Journal of Clinical Sleep Medicine*, 16(6), 879–888. <https://doi.org/10.5664/jcsm.8352>
- Nakashima, A., Vartanian, O., Rhind, S. G., King, K., Tenn, C., & Jetly, C. R. (2022). Repeated Occupational Exposure to Low-level Blast in the Canadian Armed Forces: Effects on Hearing, Balance, and Ataxia. *Military Medicine*, 187(1–2), Article 1–2. <https://doi.org/10.1093/milmed/usaa439>
- National Academies of Sciences, Engineering, and Medicine; Health and Medicine Division; Board on Health Care Services; Committee on the Review of the Department of Veterans Affairs Examinations for Traumatic Brain Injury. (2019). *Evaluation of the Disability Determination Process for Traumatic Brain Injury in Veterans*. National Academies Press (US). <http://www.ncbi.nlm.nih.gov/books/NBK542602/>

Nelson, C., St Cyr, K., Weiser, M., Gifford, S., Gallimore, J., & Morningstar, A. (2011).

Knowledge gained from the Brief Traumatic Brain Injury Screen—Implications for treating Canadian military personnel. *Military Medicine*, 176(2), Article 2.

<https://doi.org/10.7205/milmed-d-10-00252>

Niemeier, J. P., Marwitz, J. H., Leshner, K., Walker, W. C., & Bushnik, T. (2007). Gender differences in executive functions following traumatic brain injury.

Neuropsychological Rehabilitation, 17(3), Article 3.

<https://doi.org/10.1080/09602010600814729>

O'Brien, M. C., Disner, S. G., Davenport, N. D., & Sponheim, S. R. (2024). The relationship between blast-related mild traumatic brain injury and executive function is moderated by white matter integrity. *Brain Imaging and Behavior*.

<https://doi.org/10.1007/s11682-024-00864-z>

O'Connor, F. G., Schoomaker, E. B., Smith, D. C., Borden Institute (U.S.), & US Army

Medical Department Center and School. (2019). *Fundamentals of military medicine* (First edition, 1–1 online resource (xxvi, 641, xxvii–lii pages):

illustrations, color maps, portraits.). Office of The Surgeon General, Borden

Institute, US Army Medical Department Center and School, Health Readiness Center of Excellence; WorldCat.

Oleksiak, M., Smith, B. M., St Andre, J. R., Caughlan, C. M., & Steiner, M. (2012).

Audiological issues and hearing loss among Veterans with mild traumatic brain injury. *Journal of Rehabilitation Research and Development*, 49(7), 995–

1004. <https://doi.org/10.1682/jrrd.2011.01.0001>

- Olsen, C. M., & Corrigan, J. D. (2022). Does Traumatic Brain Injury Cause Risky Substance Use or Substance Use Disorder? *Biological Psychiatry*, 91(5), Article 5. <https://doi.org/10.1016/j.biopsych.2021.07.013>
- O'Neil, M. E., Carlson, K., Storzbach, D., Brenner, L., Freeman, M., Quiñones, A., Motu'apuaka, M., Ensley, M., & Kansagara, D. (2013). *Complications of Mild Traumatic Brain Injury in Veterans and Military Personnel: A Systematic Review*. Department of Veterans Affairs (US). <http://www.ncbi.nlm.nih.gov/books/NBK189785/>
- Orman, J. A. L., Selassie, A. W., Perdue, C. L., Thurman, D. J., & Kraus, J. F. (2012). Surveillance of traumatic brain injury. *Injury Research: Theories, Methods, and Approaches*, 61–85.
- O'Sullivan, M., Glorney, E., Sterr, A., Oddy, M., & da Silva Ramos, S. (2015). Traumatic brain injury and violent behavior in females: A systematic review. *Aggression and Violent Behavior*, 25, 54–64. <https://doi.org/10.1016/j.avb.2015.07.006>
- Otis, J. D., McGlinchey, R., Vasterling, J. J., & Kerns, R. D. (2011). Complicating Factors Associated with Mild Traumatic Brain Injury: Impact on Pain and Posttraumatic Stress Disorder Treatment. *Journal of Clinical Psychology in Medical Settings*, 18(2), 145–154. <https://doi.org/10.1007/s10880-011-9239-2>
- Pagulayan, K. F., Rau, H., Madathil, R., Werhane, M., Millard, S. P., Petrie, E. C., Parmenter, B., Peterson, S., Sorg, S., Hendrickson, R., Mayer, C., Meabon, J. S., Huber, B. R., Raskind, M., Cook, D. G., & Peskind, E. R. (2018). Retrospective and Prospective Memory Among OEF/OIF/OND Veterans With a Self-Reported History of Blast-Related mTBI. *Journal of the International*

Neuropsychological Society, 24(4), 324–334.

<https://doi.org/10.1017/S1355617717001217>

Palacios, E. M., Yuh, E. L., Mac Donald, C. L., Bourla, I., Wren-Jarvis, J., Sun, X., Vassar, M. J., Diaz-Arrastia, R., Giacino, J. T., Okonkwo, D. O., Robertson, C. S., Stein, M. B., Temkin, N., McCrea, M. A., Levin, H. S., Markowitz, A. J., Jain, S., Manley, G. T., Mukherjee, P., ... Zafonte, R. (2022). Diffusion Tensor Imaging Reveals Elevated Diffusivity of White Matter Microstructure that Is Independently Associated with Long-Term Outcome after Mild Traumatic Brain Injury: A TRACK-TBI Study. *Journal of Neurotrauma*, 39(19–20), 1318–1328.

<https://doi.org/10.1089/neu.2021.0408>

Panenka, W. J., Gardner, A. J., Dretsch, M. N., Crynen, G. C., Crawford, F. C., & Iverson, G. L. (2017). Systematic Review of Genetic Risk Factors for Sustaining a Mild Traumatic Brain Injury. *Journal of Neurotrauma*, 34(13), 2093–2099.

<https://doi.org/10.1089/neu.2016.4833>

Papesh, M. A., & Koerner, T. (2024). Clinical Gaps-in-Noise Measures in Blast-Exposed Veterans: Associations with Electrophysiological and Behavioral Responses. *Seminars in Hearing*, 45(1), 83–100. <https://doi.org/10.1055/s-0043-1770139>

Patil, R. R. (2022). Epidemiology of Parkinson's Disease—Current Understanding of Causation and Risk Factors. In S. P. Arjunan & D. K. Kumar (Eds.), *Techniques for Assessment of Parkinsonism for Diagnosis and Rehabilitation* (pp. 31–48). Springer Singapore. https://doi.org/10.1007/978-981-16-3056-9_3

Payami, H., Cohen, G., Murchison, C. F., Sampson, T. R., Standaert, D. G., & Wallen, Z. D. (2023). Population fraction of Parkinson's disease attributable to preventable

- risk factors. *NPJ Parkinson's Disease*, 9(1), 159. <https://doi.org/10.1038/s41531-023-00603-z>
- Perry, D. C., Sturm, V. E., Peterson, M. J., Pieper, C. F., Bullock, T., Boeve, B. F., Miller, B. L., Guskiewicz, K. M., Berger, M. S., Kramer, J. H., & Welsh-Bohmer, K. A. (2016). Association of traumatic brain injury with subsequent neurological and psychiatric disease: A meta-analysis. *Journal of Neurosurgery*, 124(2), 511–526. <https://doi.org/10.3171/2015.2.JNS14503>
- Peskind, E. R., Petrie, E. C., Cross, D. J., Pagulayan, K., McCraw, K., Hoff, D., Hart, K., Yu, C.-E., Raskind, M. A., Cook, D. G., & Minoshima, S. (2011). Cerebrocerebellar hypometabolism associated with repetitive blast exposure mild traumatic brain injury in 12 Iraq war Veterans with persistent post-concussive symptoms. *NeuroImage*, 54, S76–S82. <https://doi.org/10.1016/j.neuroimage.2010.04.008>
- Peters, P. (2011). Primary blast injury: An intact tympanic membrane does not indicate the lack of a pulmonary blast injury. *Military Medicine*, 176(1), 110–114. <https://doi.org/10.7205/milmed-d-10-00300>
- Phipps, H., Mondello, S., Wilson, A., Dittmer, T., Rohde, N. N., Schroeder, P. J., Nichols, J., McGirt, C., Hoffman, J., Tanksley, K., Chohan, M., Heiderman, A., Abou Abbass, H., Kobeissy, F., & Hinds, S. (2020). Characteristics and Impact of U.S. Military Blast-Related Mild Traumatic Brain Injury: A Systematic Review. *Frontiers in Neurology*, 11, 559318. <https://doi.org/10.3389/fneur.2020.559318>
- Pieper, J., Chang, D. G., Mahasin, S. Z., Swan, A. R., Quinto, A. A., Nichols, S. L., Diwakar, M., Huang, C., Swan, J., Lee, R. R., Baker, D. G., & Huang, M. (2020). Brain Amygdala Volume Increases in Veterans and Active-Duty Military Personnel With Combat-Related Posttraumatic Stress Disorder and Mild Traumatic

Brain Injury. *Journal of Head Trauma Rehabilitation*, 35(1), E1–E9.

<https://doi.org/10.1097/HTR.0000000000000492>

Pitkänen, A., & Immonen, R. (2014). Epilepsy related to traumatic brain injury.

Neurotherapeutics: The Journal of the American Society for Experimental NeuroTherapeutics, 11(2), Article 2. <https://doi.org/10.1007/s13311-014-0260-7>

Plassman, B. L., Havlik, R. J., Steffens, D. C., Helms, M. J., Newman, T. N., Drosdick, D., Phillips, C., Gau, B. A., Welsh-Bohmer, K. A., Burke, J. R., Guralnik, J. M., & Breitner, J. C. (2000). Documented head injury in early adulthood and risk of Alzheimer's disease and other dementias. *Neurology*, 55(8), 1158–1166.

<https://doi.org/10.1212/wnl.55.8.1158>

Powell, J. R., Hopfinger, J. B., Giovanello, K. S., Walton, S. R., DeLellis, S. M., Kane, S. F., Means, G. E., & Mihalik, J. P. (2023). Mild traumatic brain injury history is associated with lower brain network resilience in soldiers. *Brain*

Communications, 5(4), fcad201. <https://doi.org/10.1093/braincomms/fcad201>

Pugh, M. J., Finley, E. P., Wang, C.-P., Copeland, L. A., Jaramillo, C. A., Swan, A. A., Elnitsky, C. A., Leykum, L. K., Mortensen, E. M., Eapen, B. A., Noel, P. H., Pugh, J. A., & TRACC Research Team. (2016). A retrospective cohort study of comorbidity trajectories associated with traumatic brain injury in veterans of the Iraq and Afghanistan wars. *Brain Injury*, 30(12), Article 12.

<https://doi.org/10.1080/02699052.2016.1219055>

Pugh, M. J., Kennedy, E., Gugger, J. J., Mayo, J., Tate, D., Swan, A., Kean, J., Altalib, H., Gowda, S., Towne, A., Hinds, S., Van Cott, A., Lopez, M. R., Jaramillo, C. A., Eapen, B. C., McCafferty, R. R., Salinsky, M., Cramer, J., McMillan, K. K., ... MINUTE Study Group. (2021). The Military Injuries: Understanding Post-Traumatic Epilepsy

- Study: Understanding Relationships among Lifetime Traumatic Brain Injury History, Epilepsy, and Quality of Life. *Journal of Neurotrauma*, 38(20), Article 20. <https://doi.org/10.1089/neu.2021.0015>
- Pugh, M. J., Swan, A. A., Carlson, K. F., Jaramillo, C. A., Eapen, B. C., Dillahun-Aspillaga, C., Amuan, M. E., Delgado, R. E., McConnell, K., Finley, E. P., Grafman, J. H., & Trajectories of Resilience and Complex Comorbidity Study Team. (2018). Traumatic Brain Injury Severity, Comorbidity, Social Support, Family Functioning, and Community Reintegration Among Veterans of the Afghanistan and Iraq Wars. *Archives of Physical Medicine and Rehabilitation*, 99(2S), Article 2S. <https://doi.org/10.1016/j.apmr.2017.05.021>
- Raj, R., Kaprio, J., Korja, M., Mikkonen, E. D., Jousilahti, P., & Siironen, J. (2017). Risk of hospitalization with neurodegenerative disease after moderate-to-severe traumatic brain injury in the working-age population: A retrospective cohort study using the Finnish national health registries. *PLoS Medicine*, 14(7), e1002316. <https://doi.org/10.1371/journal.pmed.1002316>
- Rajan, S., & Kaas, B. (2022). Parkinson's Disease: Risk Factor Modification and Prevention. *Seminars in Neurology*, 42(5), 626–638. <https://doi.org/10.1055/s-0042-1758780>
- Ranganathan, P., Kumar, R. G., Davis, K., McCullough, E. H., Berga, S. L., & Wagner, A. K. (2016). Longitudinal sex and stress hormone profiles among reproductive age and post-menopausal women after severe TBI: A case series analysis. *Brain Injury*, 30(4), 452–461. <https://doi.org/10.3109/02699052.2016.1144081>

- Rauchman, S. H., Albert, J., Pinkhasov, A., & Reiss, A. B. (2022). Mild-to-Moderate Traumatic Brain Injury: A Review with Focus on the Visual System. *Neurology International*, 14(2), 453–470. <https://doi.org/10.3390/neurolint14020038>
- Ravula, A. R., Das, T., Gosain, A., Dolalas, T., Padhi, S., Chandra, N., & Pfister, B. J. (2022). An update on repeated blast traumatic brain injury. *Current Opinion in Biomedical Engineering*, 24, 100409. <https://doi.org/10.1016/j.cobme.2022.100409>
- Raza, Z., Hussain, S. F., Ftouni, S., Spitz, G., Caplin, N., Foster, R. G., & Gomes, R. S. M. (2021). Dementia in military and veteran populations: A review of risk factors—traumatic brain injury, post-traumatic stress disorder, deployment, and sleep. *Military Medical Research*, 8(1), 55. <https://doi.org/10.1186/s40779-021-00346-z>
- Reid, M. W., Miller, K. J., Lange, R. T., Cooper, D. B., Tate, D. F., Bailie, J., Brickell, T. A., French, L. M., Asmussen, S., & Kennedy, J. E. (2014). A Multisite Study of the Relationships between Blast Exposures and Symptom Reporting in a Post-Deployment Active-Duty Military Population with Mild Traumatic Brain Injury. *Journal of Neurotrauma*, 31(23), 1899–1906. <https://doi.org/10.1089/neu.2014.3455>
- Richard, P., Gedeon, D., & Gibson, N. (2024). Racial and ethnic differences in the association between mild traumatic brain injury and work duty limitations in the US military. *Brain Injury*, 38(3), 210–216. <https://doi.org/10.1080/02699052.2024.2309276>
- Robinson-Freeman, K. E., Collins, K. L., Garber, B., Terblanche, R., Risling, M., Vermetten, E., Besemann, M., Mistlin, A., & Tsao, J. W. (2020). A Decade of mTBI Experience: What Have We Learned? A Summary of Proceedings From a

- NATO Lecture Series on Military mTBI. *Frontiers in Neurology*, 11, 836.
<https://doi.org/10.3389/fneur.2020.00836>
- Rona, R. J., Jones, M., Fear, N. T., Hull, L., Murphy, D., Machell, L., Coker, B., Iversen, A. C., Jones, N., David, A. S., Greenberg, N., Hotopf, M., & Wessely, S. (2012). Mild Traumatic Brain Injury in UK Military Personnel Returning From Afghanistan and Iraq: Cohort and Cross-sectional Analyses. *Journal of Head Trauma Rehabilitation*, 27(1), 33–44. <https://doi.org/10.1097/HTR.0b013e318212f814>
- Rona, R. J., Jones, M., Jones, N., Fear, N. T., & Wessely, S. (2020). Long-Term Correlates of Mild Traumatic Brain Injury on Postconcussion Symptoms After Deployment to Iraq and Afghanistan in the UK Military. *Journal of Head Trauma Rehabilitation*, 35(1), 46–56.
<https://doi.org/10.1097/HTR.0000000000000497>
- Rutter, B., Song, H., DePalma, R. G., Hubler, G., Cui, J., Gu, Z., & Johnson, C. E. (2021). Shock Wave Physics as Related to Primary Non-Impact Blast-Induced Traumatic Brain Injury. *Military Medicine*, 186(Suppl 1), 601–609.
<https://doi.org/10.1093/milmed/usaa290>
- Sabet, N., Soltani, Z., & Khaksari, M. (2021). Multipotential and systemic effects of traumatic brain injury. *Journal of Neuroimmunology*, 357, 577619.
<https://doi.org/10.1016/j.jneuroim.2021.577619>
- Sajja, V. S. S. S., LaValle, C., Salib, J. E., Misistia, A. C., Ghebremedhin, M. Y., Ramos, A. N., Egnoto, M. J., Long, J. B., & Kamimori, G. H. (2019). The Role of Very Low-Level Blast Overpressure in Symptomatology. *Frontiers in Neurology*, 10, 891.
<https://doi.org/10.3389/fneur.2019.00891>

- Santos, A., Walsh, H., Anssari, N., Ferreira, I., & Tartaglia, M. C. (2020). Post-Concussion Syndrome and Sleep Apnea: A Retrospective Study. *Journal of Clinical Medicine*, 9(3), 691. <https://doi.org/10.3390/jcm9030691>
- Savage, E., Forestier, C., Withers, N., Tien, H., & Pannell, D. (2011). Tactical combat casualty care in the Canadian Forces: Lessons learned from the Afghan war. *Canadian Journal of Surgery. Journal Canadien De Chirurgie*, 54(6), Article 6. <https://doi.org/10.1503/cjs.025011>
- Schairer, K. S. (2012). Mild Traumatic Brain Injury and Associated Effects on the Auditory System. *Perspectives on Hearing and Hearing Disorders Research and Diagnostics*, 16(1), 18. <https://doi.org/10.1044/hhd16.1.18>
- Scher, A. I., McGinley, J. S., Wirth, R., Lipton, R. B., Terrio, H., Brenner, L. A., Cole, W. R., & Schwab, K. (2021). Headache complexity (number of symptom features) differentiates post-traumatic from non-traumatic headaches. *Cephalalgia*, 41(5), 582–592. <https://doi.org/10.1177/0333102420974352>
- Schneider, A. L. C., Huie, J. R., Boscardin, W. J., Nelson, L., Barber, J. K., Yaffe, K., Diaz-Arrastia, R., Ferguson, A. R., Kramer, J., Jain, S., Temkin, N., Yuh, E., Manley, G. T., Gardner, R. C., & TRACK-TBI Investigators. (2022). Cognitive Outcome 1 Year After Mild Traumatic Brain Injury: Results From the TRACK-TBI Study. *Neurology*, 98(12), e1248–e1261. <https://doi.org/10.1212/WNL.0000000000200041>
- Schneiderman, A. I., Braver, E. R., & Kang, H. K. (2008). Understanding Sequelae of Injury Mechanisms and Mild Traumatic Brain Injury Incurred during the Conflicts in Iraq and Afghanistan: Persistent Postconcussive Symptoms and Posttraumatic Stress Disorder. *American Journal of Epidemiology*, 167(12), 1446–1452. <https://doi.org/10.1093/aje/kwn068>

- Schwab, K. A., Ivins, B., Cramer, G., Johnson, W., Sluss-Tiller, M., Kiley, K., Lux, W., & Warden, D. (2007). Screening for Traumatic Brain Injury in Troops Returning From Deployment in Afghanistan and Iraq: Initial Investigation of the Usefulness of a Short Screening Tool for Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*, 22(6), 377–389.
<https://doi.org/10.1097/01.HTR.0000300233.98242.87>
- Seager, M. (2024). *An examination of the relationship between persistent traumatic brain injuries and chronic pain conditions in active-duty and Veteran soldiers: Results from the Canadian Armed Forces Members and Veterans Mental Health Follow-up Survey*. University of Manitoba.
- Seal, K. H., Bertenthal, D., Barnes, D. E., Byers, A. L., Strigo, I., Yaffe, K., & Chronic Effects of Neurotrauma Consortium Study Group. (2017). Association of Traumatic Brain Injury With Chronic Pain in Iraq and Afghanistan Veterans: Effect of Comorbid Mental Health Conditions. *Archives of Physical Medicine and Rehabilitation*, 98(8), Article 8. <https://doi.org/10.1016/j.apmr.2017.03.026>
- Settle, J. R., Clawson, D. M., Sebrechts, M. M., French, L. M., Massey Watts, A. T., & Duncan, C. C. (2019). Prospective Memory in Service Members with Mild Traumatic Brain Injury. *Military Medicine*, 184(11–12), 723–730.
<https://doi.org/10.1093/milmed/usz062>
- Shi, J., Dong, B., Mao, Y., Guan, W., Cao, J., Zhu, R., & Wang, S. (2016). Review: Traumatic brain injury and hyperglycemia, a potentially modifiable risk factor. *Oncotarget*, 7(43), Article 43. <https://doi.org/10.18632/oncotarget.11958>
- Siedhoff, H. R., Chen, S., Song, H., Cui, J., Cernak, I., Cifu, D. X., DePalma, R. G., & Gu, Z. (2021). Perspectives on Primary Blast Injury of the Brain: Translational Insights

- Into Non-inertial Low-Intensity Blast Injury. *Frontiers in Neurology*, 12, 818169.
<https://doi.org/10.3389/fneur.2021.818169>
- Silverberg, N. D., Iverson, G. L., ACRM Brain Injury Special Interest Group Mild TBI Task Force members:, Cogan, A., Dams-O'Connor, K., Delmonico, R., Graf, M. J. P., Iaccarino, M. A., Kajankova, M., Kamins, J., McCulloch, K. L., McKinney, G., Nagele, D., Panenka, W. J., Rabinowitz, A. R., Reed, N., Wethe, J. V., Whitehair, V., ACRM Mild TBI Diagnostic Criteria Expert Consensus Group;, ... Zemek, R. (2023). The American Congress of Rehabilitation Medicine Diagnostic Criteria for Mild Traumatic Brain Injury. *Archives of Physical Medicine and Rehabilitation*, 104(8), 1343–1355. <https://doi.org/10.1016/j.apmr.2023.03.036>
- Singh, T., & Seidman, M. (2019). Hearing Disorders Associated With Mild Traumatic Brain Injury (mTBI). In *Neurosensory Disorders in Mild Traumatic Brain Injury*. Academic Press.
- Sivanandam, T. M., & Thakur, M. K. (2012). Traumatic brain injury: A risk factor for Alzheimer's disease. *Neuroscience and Biobehavioral Reviews*, 36(5), Article 5.
<https://doi.org/10.1016/j.neubiorev.2012.02.013>
- Skjeldal, O. H., Skandsen, T., Kinge, E., Glott, T., & Solbakk, A.-K. (2022). Long-term post-concussion symptoms. *Tidsskrift for Den norske legeforening*.
<https://doi.org/10.4045/tidsskr.21.0713>
- Smith, K. D., Chen, T., & Gan, R. Z. (2020). Hearing Damage Induced by Blast Overpressure at Mild TBI Level in a Chinchilla Model. *Military Medicine*, 185(Suppl 1), 248–255. <https://doi.org/10.1093/milmed/usz309>
- Soble, J. R., Spanierman, L. B., & Fitzgerald Smith, J. (2013). Neuropsychological functioning of combat veterans with posttraumatic stress disorder and mild

- traumatic brain injury. *Journal of Clinical and Experimental Neuropsychology*, 35(5), Article 5. <https://doi.org/10.1080/13803395.2013.798398>
- St Onge, P., McIlwain, D. S., Hill, M. E., Walilko, T. J., & Bardolf, L. B. (2011). Marine Corps Breacher Training Study: Auditory and vestibular findings. *US Army Medical Department Journal*.
- Starkey, N. J., Duffy, B., Jones, K., Theadom, A., Barker-Collo, S., Feigin, V., & BIONIC8 Research Group. (2022). Sex differences in outcomes from mild traumatic brain injury eight years post-injury. *PloS One*, 17(5), e0269101. <https://doi.org/10.1371/journal.pone.0269101>
- Stein, M. B., Kessler, R. C., Heeringa, S. G., Jain, S., Campbell-Sills, L., Colpe, L. J., Fullerton, C. S., Nock, M. K., Sampson, N. A., Schoenbaum, M., Sun, X., Thomas, M. L., Ursano, R. J., & On behalf of the Army STARRS collaborators. (2015). Prospective Longitudinal Evaluation of the Effect of Deployment-Acquired Traumatic Brain Injury on Posttraumatic Stress and Related Disorders: Results From the Army Study to Assess Risk and Resilience in Servicemembers (Army STARRS). *American Journal of Psychiatry*, 172(11), 1101–1111. <https://doi.org/10.1176/appi.ajp.2015.14121572>
- Stein, M. B., Walker, J. R., Hazen, A. L., & Forde, D. R. (1997). Full and partial posttraumatic stress disorder: Findings from a community survey. *The American Journal of Psychiatry*, 154(8), 1114–1119. <https://doi.org/10.1176/ajp.154.8.1114>
- Stojanovic, M. P., Fonda, J., Fortier, C. B., Higgins, D. M., Rudolph, J. L., Milberg, W. P., & McGlinchey, R. E. (2016). Influence of Mild Traumatic Brain Injury (TBI) and Posttraumatic Stress Disorder (PTSD) on Pain Intensity Levels in

OEF/OIF/OND Veterans. *Pain Medicine*, 17(11), 2017–2025.

<https://doi.org/10.1093/pm/pnw042>

Stone, J. R., Avants, B. B., Tustison, N. J., Wassermann, E. M., Gill, J., Polejaeva, E., Dell, K. C., Carr, W., Yarnell, A. M., LoPresti, M. L., Walker, P., O'Brien, M., Domeisen, N., Quick, A., Modica, C. M., Hughes, J. D., Haran, Francis. J., Goforth, C., & Ahlers, S. T. (2020). Functional and Structural Neuroimaging Correlates of Repetitive Low-Level Blast Exposure in Career Breachers. *Journal of Neurotrauma*, 37(23), 2468–2481. <https://doi.org/10.1089/neu.2020.7141>

Stromberg, K. M., Martindale, S. L., Walker, W. C., Ou, Z., Pogoda, T. K., Miles, S. R., Dismuke-Greer, C. E., Carlson, K. F., Rowland, J. A., O'Neil, M. E., & Pugh, M. J. (2023). Mild traumatic brain injury, PTSD symptom severity, and behavioral dyscontrol: A LIMBIC-CENC study. *Frontiers in Neurology*, 14, 1286961. <https://doi.org/10.3389/fneur.2023.1286961>

Swan, A. A., Nelson, J. T., Pogoda, T. K., Akin, F. W., Riska, K. M., Hall, C. D., Amuan, M. E., Yaffe, K., Pugh, M. J., & Chronic Effects of Neurotrauma Consortium. (2020). Association of Traumatic Brain Injury With Vestibular Dysfunction and Dizziness in Post-9/11 Veterans. *The Journal of Head Trauma Rehabilitation*, 35(3), E253–E265. <https://doi.org/10.1097/HTR.0000000000000513>

Swan, A. A., Nelson, J. T., Swiger, B., Jaramillo, C. A., Eapen, B. C., Packer, M., & Pugh, M. J. (2017). Prevalence of hearing loss and tinnitus in Iraq and Afghanistan Veterans: A Chronic Effects of Neurotrauma Consortium study. *Hearing Research*, 349, 4–12. <https://doi.org/10.1016/j.heares.2017.01.013>

Swan, A., Sanford, E., Wright, A., & Tapia, R. (2024). Sex Differences in Functionality and Symptom Burden on Life Satisfaction among Veterans with Mild

- Traumatic Brain Injury. *Archives of Physical Medicine and Rehabilitation*, 105(4), e71–e72. <https://doi.org/10.1016/j.apmr.2024.02.200>
- Sylvia, F. R., Drake, A. I., & Wester, D. C. (2001). Transient vestibular balance dysfunction after primary blast injury. *Military Medicine*, 166(10), 918–920.
- Szczupak, M., Hoffer, M. E., Gottshall, K., & Viirre, E. S. (2020). Vestibular Consequences of Mild Traumatic Brain Injury (mTBI). In J. W. Tsao (Ed.), *Traumatic Brain Injury* (pp. 151–158). Springer International Publishing. https://doi.org/10.1007/978-3-030-22436-3_8
- Taber, K. H., Warden, D. L., & Hurley, R. A. (2006). Blast-Related Traumatic Brain Injury: What Is Known? *The Journal of Neuropsychiatry and Clinical Neurosciences*, 18(2), 141–145. <https://doi.org/10.1176/jnp.2006.18.2.141>
- Tan, X. G., & Matic, P. (2020). Simulation of Cumulative Exposure Statistics for Blast Pressure Transmission Into the Brain. *Military Medicine*, 185(Supplement_1), 214–226. <https://doi.org/10.1093/milmed/usz308>
- Tanev, K. S., Pentel, K. Z., Kredlow, M. A., & Charney, M. E. (2014). PTSD and TBI co-morbidity: Scope, clinical presentation and treatment options. *Brain Injury*, 28(3), 261–270. <https://doi.org/10.3109/02699052.2013.873821>
- Tate, C. M., Wang, K. K. W., Eonta, S., Zhang, Y., Carr, W., Tortella, F. C., Hayes, R. L., & Kamimori, G. H. (2013). Serum Brain Biomarker Level, Neurocognitive Performance, and Self-Reported Symptom Changes in Soldiers Repeatedly Exposed to Low-Level Blast: A Breacher Pilot Study. *Journal of Neurotrauma*, 30(19), 1620–1630. <https://doi.org/10.1089/neu.2012.2683>
- Taylor, L. A., Kreutzer, J. S., Demm, S. R., & Meade, M. A. (2003). Traumatic brain injury and substance abuse: A review and analysis of the literature.

Neuropsychological Rehabilitation, 13(1–2), Article 1–2.

<https://doi.org/10.1080/09602010244000336>

Teasdale, G., & Jennett, B. (1974). ASSESSMENT OF COMA AND IMPAIRED CONSCIOUSNESS. *The Lancet*, 304(7872), 81–84. [https://doi.org/10.1016/S0140-6736\(74\)91639-0](https://doi.org/10.1016/S0140-6736(74)91639-0)

Teasell, R., Flores-Sandoval, C., Bateman, E. A., MacKenzie, H. M., Sequeira, K., Bayley, M., & Janzen, S. (2024). Overview of randomized controlled trials of moderate to severe traumatic brain injury: A systematic review. *NeuroRehabilitation*. <https://doi.org/10.3233/NRE-240019>

Terrio, H., Brenner, L. A., Ivins, B. J., Cho, J. M., Helmick, K., Schwab, K., Scally, K., Bretthauer, R., & Warden, D. (2009). Traumatic Brain Injury Screening: Preliminary Findings in a US Army Brigade Combat Team. *Journal of Head Trauma Rehabilitation*, 24(1), 14–23. <https://doi.org/10.1097/HTR.0b013e31819581d8>

Terry, G., Pagulayan, K. F., Muzi, M., Mayer, C., Murray, D. R., Schindler, A. G., Richards, T. L., McEvoy, C., Crabtree, A., McNamara, C., Means, G., Muench, P., Powell, J. R., Mihalik, J. P., Thomas, R. G., Raskind, M. A., Peskind, E. R., & Meabon, J. S. (2024). Increased [18F] Fluorodeoxyglucose Uptake in the Left Pallidum in Military Veterans with Blast-Related Mild Traumatic Brain Injury: Potential as an Imaging Biomarker and Mediation with Executive Dysfunction and Cognitive Impairment. *Journal of Neurotrauma*. <https://doi.org/10.1089/neu.2023.0429>

Thiagarajan, P., Ciuffreda, K. J., & Ludlam, D. P. (2011). Vergence dysfunction in mild traumatic brain injury (mTBI): A review. *Ophthalmic & Physiological Optics*:

- The Journal of the British College of Ophthalmic Opticians (Optometrists)*, 31(5), 456–468. <https://doi.org/10.1111/j.1475-1313.2011.00831.x>
- Thiel, K. J., Dretsch, M. N., & Ahroon, W. A. (2015). *The Effects of Low-level Repetitive Blasts on Neuropsychological Functioning*: Defense Technical Information Center.
- Thompson, J. M., Scott, K. C., & Dubinsky, L. (2008). Battlefield brain: Unexplained symptoms and blast-related mild traumatic brain injury. *Canadian Family Physician Medecin De Famille Canadien*, 54(11), Article 11.
- Trillingsgaard Næss-Schmidt, E., Udby Blicher, J., Møller Thastum, M., Ulrikka Rask, C., Wulff Svendsen, S., Schröder, A., Høgh Tuborgh, A., Østergaard, L., Sangill, R., Lund, T., Nørhøj Jespersen, S., Roer Pedersen, A., Hansen, B., Fristed Eskildsen, S., & Feldbæk Nielsen, J. (2021). Microstructural changes in the brain after long-term post-concussion symptoms: A randomized trial. *Journal of Neuroscience Research*, 99(3), 872–886. <https://doi.org/10.1002/jnr.24773>
- Troyanskaya, M., Pastorek, N. J., Scheibel, R. S., Petersen, N. J., McCulloch, K., Wilde, E. A., Henson, H. K., & Levin, H. S. (2015). Combat Exposure, PTSD Symptoms, and Cognition Following Blast-Related Traumatic Brain Injury in OEF/OIF/OND Service Members and Veterans. *Military Medicine*, 180(3), 285–289. <https://doi.org/10.7205/MILMED-D-14-00256>
- Valera, E. M., Joseph, A.-L. C., Snedaker, K., Breiding, M. J., Robertson, C. L., Colantonio, A., Levin, H., Pugh, M. J., Yurgelun-Todd, D., Mannix, R., Bazarian, J. J., Turtzo, L. C., Turkstra, L. S., Begg, L., Cummings, D. M., & Bellgowan, P. S. F. (2021). Understanding Traumatic Brain Injury in Females: A State-of-the-Art

- Summary and Future Directions. *The Journal of Head Trauma Rehabilitation*, 36(1), Article 1. <https://doi.org/10.1097/HTR.0000000000000652>
- Van Pelt, K. L., Allred, C. D., Brodeur, R., Cameron, K. L., Campbell, D. E., D'Lauro, C. J., He, X., Houston, M. N., Johnson, B. R., Kelly, T. F., McGinty, G., Meehan, S. K., O'Donnell, P. G., Peck, K. Y., Svoboda, S. J., Pasquina, P., McAllister, T., McCrea, M., & Broglio, S. P. (2020). Concussion-Recovery Trajectories Among Tactical Athletes: Results From the CARE Consortium. *Journal of Athletic Training*, 55(7), 658–665. <https://doi.org/10.4085/1062-6050-10-19>
- Van Pelt, K. L., Wolff, L., Campbell, D. E., McGinty, G., Zupan, M., & Jackson, J. C. (2023). Investigation of Aerobic and Muscular Fitness and Concussion Among Service Academy Cadets at the United States Air Force Academy: Results from the CARE Consortium. *Military Medicine*, 188(7–8), e1887–e1894. <https://doi.org/10.1093/milmed/usab440>
- Vanderploeg, R. D., Belanger, H. G., Horner, R. D., Spehar, A. M., Powell-Cope, G., Luther, S. L., & Scott, S. G. (2012). Health Outcomes Associated With Military Deployment: Mild Traumatic Brain Injury, Blast, Trauma, and Combat Associations in the Florida National Guard. *Archives of Physical Medicine and Rehabilitation*, 93(11), 1887–1895. <https://doi.org/10.1016/j.apmr.2012.05.024>
- Vander Werff, K. R. (2012). Auditory Dysfunction Among Long-Term Consequences of Mild Traumatic Brain Injury (mTBI). *Perspectives on Hearing and Hearing Disorders Research and Diagnostics*, 16(1), 3. <https://doi.org/10.1044/hhd16.1.3>
- Vander Werff Kathy, R. (2016). The Application of the International Classification of

Functioning, Disability and Health to Functional Auditory Consequences of Mild Traumatic Brain Injury. *Seminars in Hearing*, 37(3), 216–232.

<https://doi.org/10.1055/s-0036-1584409>

Vander Werff, K. R., & Rieger, B. (2019). Auditory and Cognitive Behavioral Performance Deficits and Symptom Reporting in Postconcussion Syndrome Following Mild Traumatic Brain Injury. *Journal of Speech, Language, and Hearing Research: JSLHR*, 62(7), 2501–2518. https://doi.org/10.1044/2019_JSLHR-H-18-0281

Vartanian, O., Coady, L., Blackler, K., Fraser, B., & Cheung, B. (2021). Neuropsychological, Neurocognitive, Vestibular, and Neuroimaging Correlates of Exposure to Repetitive Low-Level Blast Waves: Evidence From Four Nonoverlapping Samples of Canadian Breachers. *Military Medicine*, 186(3–4), e393–e400. <https://doi.org/10.1093/milmed/usaa332>

Vartanian, O., Tenn, C., Rhind, S. G., Nakashima, A., Di Battista, A. P., Sergio, L. E., Gorbet, D. J., Fraser, D. D., Colantonio, A., King, K., Lam, Q., Saunders, D., & Jetly, R. (2020). Blast in Context: The Neuropsychological and Neurocognitive Effects of Long-Term Occupational Exposure to Repeated Low-Level Explosives on Canadian Armed Forces' Breaching Instructors and Range Staff. *Frontiers in Neurology*, 11, 588531. <https://doi.org/10.3389/fneur.2020.588531>

Vassallo, J. L., Proctor-Weber, Z., Lebowitz, B. K., Curtiss, G., & Vanderploeg, R. D. (2007). Psychiatric risk factors for traumatic brain injury. *Brain Injury*, 21(6), Article 6. <https://doi.org/10.1080/02699050701426832>

- Verboon, L. N., Patel, H. C., & Greenhalgh, A. D. (2021). The Immune System's Role in the Consequences of Mild Traumatic Brain Injury (Concussion). *Frontiers in Immunology*, 12, 620698. <https://doi.org/10.3389/fimmu.2021.620698>
- Vile, A. R., & Atkinson, L. (2017). Chronic Traumatic Encephalopathy: The cellular sequela to repetitive brain injury. *Journal of Clinical Neuroscience: Official Journal of the Neurosurgical Society of Australasia*, 41, 24–29. <https://doi.org/10.1016/j.jocn.2017.03.035>
- Vincent, A. S., Roebuck-Spencer, T. M., & Cernich, A. (2014). Cognitive changes and dementia risk after traumatic brain injury: Implications for aging military personnel. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 10(3 Suppl), S174–187. <https://doi.org/10.1016/j.jalz.2014.04.006>
- Viola-Saltzman, M., & Musleh, C. (2016). Traumatic brain injury-induced sleep disorders. *Neuropsychiatric Disease and Treatment*, 339. <https://doi.org/10.2147/NDT.S69105>
- Viola-Saltzman, M., & Watson, N. F. (2012). Traumatic brain injury and sleep disorders. *Neurologic Clinics*, 30(4), 1299–1312. <https://doi.org/10.1016/j.ncl.2012.08.008>
- Vorn, R., Edwards, K. A., Hentig, J., Yun, S., Kim, H.-S., Lai, C., Devoto, C., Yarnell, A. M., Polejaeva, E., Dell, K. C., LoPresti, M. L., Walker, P., Carr, W., Stone, J. R., Ahlers, S. T., & Gill, J. M. (2022). A Pilot Study of Whole-Blood Transcriptomic Analysis to Identify Genes Associated with Repetitive Low-Level Blast Exposure in Career Breachers. *Biomedicines*, 10(3), 690. <https://doi.org/10.3390/biomedicines10030690>

- Vorn, R., Naunheim, R., Lai, C., Wagner, C., & Gill, J. M. (2022). Elevated Axonal Protein Markers Following Repetitive Blast Exposure in Military Personnel. *Frontiers in Neuroscience*, 16, 853616. <https://doi.org/10.3389/fnins.2022.853616>
- Walker, W. C., Clark, S. W., Eppich, K., Wilde, E. A., Martin, A. M., Allen, C. M., Cortez, M. M., Pugh, M. J., Walton, S. R., & Kenney, K. (2023). Headache among combat-exposed veterans and service members and its relation to mild traumatic brain injury history and other factors: A LIMBIC-CENC study. *Frontiers in Neurology*, 14, 1242871. <https://doi.org/10.3389/fneur.2023.1242871>
- Walker, W. C., O'Neil, M. E., Ou, Z., Pogoda, T. K., Belanger, H. G., Scheibel, R. S., Presson, A. P., Miles, S. R., Wilde, E. A., Tate, D. F., Troyanskaya, M., Pugh, M. J., Jak, A., & Cifu, D. X. (2023). Can mild traumatic brain injury alter cognition chronically? A LIMBIC-CENC multicenter study. *Neuropsychology*, 37(1), 1–19. <https://doi.org/10.1037/neu0000855>
- Walker, W. C., O'Rourke, J., Wilde, E. A., Pugh, M. J., Kenney, K., Dismuke-Greer, C. L., Ou, Z., Presson, A. P., Werner, J. K., Kean, J., Barnes, D., Karmarkar, A., Yaffe, K., & Cifu, D. (2022). Clinical features of dementia cases ascertained by ICD coding in LIMBIC-CENC multicenter study of mild traumatic brain injury. *Brain Injury*, 36(5), 644–651. <https://doi.org/10.1080/02699052.2022.2033849>
- Wang, Z., Wilson, C. M., Mendeleev, N., Ge, Y., Galfalvy, H., Elder, G., Ahlers, S., Yarnell, A. M., LoPresti, M. L., Kamimori, G. H., Carr, W., & Haghighi, F. (2020). Acute and Chronic Molecular Signatures and Associated Symptoms of Blast Exposure in Military Breachers. *Journal of Neurotrauma*, 37(10), 1221–1232. <https://doi.org/10.1089/neu.2019.6742>

- Waters, A. B., Bottari, S. A., Jones, L. C., Lamb, D. G., Lewis, G. F., & Williamson, J. B. (2023). Regional associations of white matter integrity and neurological, post-traumatic stress disorder and autonomic symptoms in Veterans with and without history of loss of consciousness in mild TBI. *Frontiers in Neuroimaging*, 2, 1265001. <https://doi.org/10.3389/fnimg.2023.1265001>
- Webster, J. B., Bell, K. R., Hussey, J. D., Natale, T. K., & Lakshminarayan, S. (2001). Sleep apnea in adults with traumatic brain injury: A preliminary investigation. *Archives of Physical Medicine and Rehabilitation*, 82(3), 316–321. <https://doi.org/10.1053/apmr.2001.20840>
- White, M., Duquette-Laplane, F., Jutras, B., Bursch, C., & Koravand, A. (2022). A Retrospective Study of the Effects of Traumatic Brain Injury on Auditory Function: From a Clinical Perspective. *NeuroSci*, 3(1), 52–62. <https://doi.org/10.3390/neurosci3010004>
- Whiteneck, G., Williams, W., Almeida, E., Bidelsbach, D., Culpepper, W., Picon, L. M., Eagye, C., & Dr Mellick, D. (2024). Two Decades of Department of Veterans Affairs Traumatic Brain Injury Care and Benefits for Veterans of Post-9/11 Conflicts. *Journal of Head Trauma Rehabilitation*. <https://doi.org/10.1097/HTR.0000000000000952>
- Wilson, L., Stewart, W., Dams-O'Connor, K., Diaz-Arrastia, R., Horton, L., Menon, D. K., & Polinder, S. (2017a). The chronic and evolving neurological consequences of traumatic brain injury. *The Lancet. Neurology*, 16(10), 813–825. [https://doi.org/10.1016/S1474-4422\(17\)30279-X](https://doi.org/10.1016/S1474-4422(17)30279-X)
- Wilson, L., Stewart, W., Dams-O'Connor, K., Diaz-Arrastia, R., Horton, L., Menon, D. K., & Polinder, S. (2017b). The chronic and evolving neurological consequences of

- traumatic brain injury. *The Lancet. Neurology*, 16(10), Article 10.
[https://doi.org/10.1016/S1474-4422\(17\)30279-X](https://doi.org/10.1016/S1474-4422(17)30279-X)
- Witcher, K. G., Eiferman, D. S., & Godbout, J. P. (2015). Priming the inflammatory pump of the CNS after traumatic brain injury. *Trends in Neurosciences*, 38(10), 609–620. <https://doi.org/10.1016/j.tins.2015.08.002>
- Wojtowicz, M., Silverberg, N. D., Bui, E., Zafonte, R., Simon, N., & Iverson, G. L. (2017). Psychiatric Comorbidity and Psychosocial Problems Among Treatment-Seeking Veterans With a History of Mild Traumatic Brain Injury. *Focus (American Psychiatric Publishing)*, 15(4), Article 4.
<https://doi.org/10.1176/appi.focus.20170028>
- Woodall, J. L. A., Sak, J. A., Cowdrick, K. R., Bove Muñoz, B. M., McElrath, J. H., Trimpe, G. R., Mei, Y., Myhre, R. L., Rains, J. K., & Hutchinson, C. R. (2023). Repetitive Low-level Blast Exposure and Neurocognitive Effects in Army Ranger Mortarmen. *Military Medicine*, 188(3–4), e771–e779. <https://doi.org/10.1093/milmed/usab394>
- World Health Organization. (2022). *ICD-11: International classification of diseases* (11th revision).
- Xiong, K., Zhu, Y., Zhang, Y., Yin, Z., Zhang, J., Qiu, M., & Zhang, W. (2014). White matter integrity and cognition in mild traumatic brain injury following motor vehicle accident. *Brain Research*, 1591, 86–92.
<https://doi.org/10.1016/j.brainres.2014.10.030>
- Yousefzadeh-Chabok, S., Kapourchali, F. R., & Ramezani, S. (2021). Determinants of long-term health-related quality of life in adult patients with mild traumatic brain injury. *European Journal of Trauma and Emergency Surgery*, 47(3), 839–846. <https://doi.org/10.1007/s00068-019-01252-9>

- Yuan, W., Dudley, J., Slutsky-Ganesh, A. B., Leach, J., Scheifele, P., Altaye, M., Barber Foss, K. D., Diekfuss, J. D., Rhea, C. K., & Myer, G. D. (2021). White Matter Alteration Following SWAT Explosive Breaching Training and the Moderating Effect of a Neck Collar Device: A DTI and NODDI Study. *Military Medicine*, 186(11–12), 1183–1190. <https://doi.org/10.1093/milmed/usab168>
- Zamorski, M. A., & Boulos, D. (2014). The impact of the military mission in Afghanistan on mental health in the Canadian Armed Forces: A summary of research findings. *European Journal of Psychotraumatology*, 5. <https://doi.org/10.3402/ejpt.v5.23822>
- Zatzick, D. F., Rivara, F. P., Jurkovich, G. J., Hoge, C. W., Wang, J., Fan, M.-Y., Russo, J., Trusz, S. G., Nathens, A., & Mackenzie, E. J. (2010). Multisite investigation of traumatic brain injuries, posttraumatic stress disorder, and self-reported health and cognitive impairments. *Archives of General Psychiatry*, 67(12), 1291–1300. <https://doi.org/10.1001/archgenpsychiatry.2010.158>
- Zeiler, F. A., McFadyen, C., Newcombe, V. F. J., Synnot, A., Donoghue, E. L., Ripatti, S., Steyerberg, E. W., Gruen, R. L., McAllister, T. W., Rosand, J., Palotie, A., Maas, A. I. R., & Menon, D. K. (2021). Genetic Influences on Patient-Oriented Outcomes in Traumatic Brain Injury: A Living Systematic Review of Non-Apolipoprotein E Single-Nucleotide Polymorphisms. *Journal of Neurotrauma*, 38(8), 1107–1123. <https://doi.org/10.1089/neu.2017.5583>